



Published by  
E. HARRISON CAWKER. { Vol. 15, No. 2. }

MILWAUKEE, JUNE, 1883.

{Terms: \$1.00 a Year in Advance  
Single Copies, 10 Cents. }

NO USE  
NO USE  
NO USE  
NO USE  
NO USE  
NO USE  
NO USE  
NO USE

NO USE IN DODGING THE FACT THAT

## The JNO. T. NOYE MFG. CO., BUFFALO, N. Y.,

SOLE MANUFACTURERS OF THE CELEBRATED

### STEVENS ROLLER MILLS

Have, by embodying in them the most recent and desirable improvements for vertical and horizontal adjustments, spreading devices, belt and gear movements, and adapting them to every grade and class of wheat, demonstrated that they stand head and shoulders above any other

### ROLLER MILL IN THE WORLD.

Send for the most complete and handsomest catalogue on Roller Mills ever printed.

[Mention the UNITED STATES MILLER  
when you write to us.]

## A COMPLETE ROLLER MILL OUTFIT


For Mills of 30 to 70 Bbls. capacity in twenty-four hours, can be secured by ordering Gray's Patent Noiseless Belt Roller Mills as combined in the new Four Break Gradual Reduction Machine, designed especially for use in small mills. This machine contains the celebrated **GRAY'S PATENT ROLLER MILLS**, in combination with the necessary Scalping Reels and Elevators, to make the reductions and complete the separations essential to the most perfect system of roller milling. This machine, in connection with Gray's Combined Roller Mills and Bolting Reels for reducing the middlings, forms a complete roller outfit, which is compact, efficient and cheap. For particulars, prices, etc., address:

[Mention this Paper when you write to us.]

**EDW. P. ALLIS & CO., Reliance Works, Milwaukee, Wis.**

## Odell's Roller Mill System

Is now in successful operation in a large number of mills, both large and small, on hard and soft wheat, and is meeting with Unparalleled Success. All the mills now running on this system are doing very fine and close work, and we are in receipt of the most flattering letters from millers. References and letters of introduction to parties using the Odell Rolls and System, will be furnished on application to all who desire to investigate.



### Odell's Roller Mill!

Invented and Patented by **U. H. ODELL**, the builder of several of the largest and best Gradual Reduction Flour Mills in the country.

### AN ESTABLISHED SUCCESS

WE INVITE PARTICULAR ATTENTION TO THE FOLLOWING

#### POINTS OF SUPERIORITY

possessed by the Odell Roller Mill over all competitors, all of which are broadly covered by patents, and cannot be used on any other machine.

1. It is driven entirely with belts, which are so arranged as to be equivalent to giving each of the four rolls a separate driving-belt from the power shaft, thus obtaining a **positive differential motion** which cannot be had with short belts.
2. It is the only Roller Mill in market which can **instantly be stopped without throwing off the driving-belt**, or that has adequate tightener devices for taking up the stretch of the driving-belts.
3. It is the only Roller Mill in which **one movement of a hand-lever spreads the rolls apart and shuts off the feed at the same time**. The reverse movement of this lever brings the rolls back again exactly into working position and **at the same time turns on the feed**.
4. It is the only Roller Mill in which the moveable roll-bearings may be adjusted to and from the stationary roll-bearings **without disturbing the tension-spring**.
5. Our Corrugation is a decided advance over all others. It produces a more even granulation, **more middlings of uniform shape and size, and cleans the bran better**.

**We use none but the BEST ANSONIA ROLLS.**

OUR CORRUGATION DIFFERS FROM ALL OTHERS, AND PRODUCES

**LESS BREAK FLOUR and MIDDINGS of BETTER QUALITY.**

Mill owners adopting our Roller Mills will have the benefit of Mr. Odell's advice and long experience in arranging mills. Can furnish machines on Short Notice. For further information, apply in person or by letter to the sole manufacturers.

## STILWELL & BIERCE MANUFACTURING CO.,

Agents for Du Fours Bolting Co.

[Mention this paper when you write to us.]

**DAYTON, OHIO, U. S. A.**



THE LARGEST MILL FURNISHING ESTABLISHMENT IN THE WORLD.  
RELIANCE WORKS,  
EDW. P. ALLIS & CO. Prop's.

MILWAUKEE, WIS., U. S. A.

SOLE MANUFACTURERS OF

Gray's Patent Noiseless Belt


ROLLER MILLS

WITH

Wegmann's Patent Porcelain Rolls.

Unexcelled for reducing Middlings to Flour.

Far ahead of Smooth Iron or Scratch Rolls and entirely superceding the Mill Stones for this purpose.



Read the Following Letters.

Terre Haute, Ind., Aug. 22nd, 1882.

Messrs. E. P. Allis & Co., Milwaukee, Wis.

Gentlemen:—We are very much pleased with the whole eight set of Porcelain Rolls you put in our Mill. The two double set sent us soon after starting up our mill last fall, we put in place of two run of stones for grinding our coarse Middlings.

We find the Flour from the Porcelain Rolls much more evenly granulated and much sharper and cleaner than that we got from the stones, besides the second or fine Middlings are much better, being almost entirely free from germs and not as specky.

Yours Truly,

KIDDER BROS.

[Mention this Paper when you write to us.]

Kings County Flour Mills, Brooklyn, N. Y., Aug. 15th, 1882.

Messrs E. P. Allis & Co.

Gentlemen:—You ask how I like the Porcelain Rolls as compared with Mill Stones. I have been using the original Porcelain Gear Machines for five years and became convinced a long time ago that Mill Stones could not produce as satisfactory results.

I am now operating your Improved Machine of increased size with nice adjustments, working without noise with Gray's Patent Belt Drive. The Flour it produces is beautifully grainy and strong and its capacity two or three times more than the old Gear Machine.

It runs splendidly, gives no trouble, consumes less power than Mill Stones, dispenses with costly stone dressing and for reducing Middlings and soft branny residuums and tailings is unequaled by any Machine, iron or stone, at least this is my opinion after five years of practical experience.

Yours truly,

JOHN HARVEY,


Head Miller Kings Co. Mills, Brooklyn, E. D.

ALSO SOLE MANUFACTURERS OF THE CELEBRATED

REYNOLDS'

CORLISS ENGINE,

Over Three Hundred of these Engines in use.



These Engines are especially adapted for use in Flouring Mills—being unsurpassed in Simplicity, Durability and ECONOMY OF FUEL, and far ahead of any other

Automatic Cut-off Engines.

Send for catalogues of Roller Mills, Flour Mill Machinery, Saw Mill Machinery, Reynolds' Corliss Engines, etc., etc., address:

Edw. P. Allis & Co.,  
MILWAUKEE, WIS.

The following is a partial list of Flouring Mill owners who are using the Reynolds' Corliss Engines.

J. B. A. Kern.....	Milwaukee, Wis.	Albert Wehausen.....	Two Rivers, Wis.	L. H. Lanier & Son.....	Nashville, Tenn.
LaGrange Mill Co.....	Red Wing, Minn.	Green & Gold.....	Faribault, Minn.	Wells & Nieman.....	Schuyler, Neb.
New Era Mills.....	Milwaukee, Wis.	Meridan Mill Co.....	Meridan, Minn.	Grundy Centre Milling Co.....	Grundy Centre, Iowa.
Daisy Flour Mills.....	Milwaukee, Wis.	Townshend & Proctor.....	Stillwater, Minn.	B. D. Sprague.....	Rushford, Minn.
Winona Mill Co.....	Winona Minn.	Sooy & Brinkman.....	Great Bend, Kansas.	The Eisenmeyer Co.....	Little Rock, Ark.
W. D. Washburn & Co.....	Anoka, Minn.	Frank Clark.....	Hamilton, Mo.	A. W. Ogilvie & Co.....	Montreal, Canada.
Archibald, Schurmeier & Smith.....	St. Paul, Minn.	N. J. Sisson.....	Mankato, Minn.	Geo. Urban & Son.....	Buffalo, N. Y.
White, Listman & Co.....	La Crosse, Wis.	Jas. Campbell.....	Mannannah, Minn.	A. A. Taylor.....	Toledo, O.
Milwaukee Milling Co.....	Milwaukee, Wis.	C. J. Coggin.....	Wauconda, Ill.	Pindell Bros. Co.....	Hannibal, Mo.
Stuart & Douglass.....	Chicago, Ill.	J. J. Wilson.....	Algona, Iowa.	Kehlror Milling Co.....	East St. Louis, Ill.
Stillwater Milling Co.....	Stillwater, Minn.	Ames & Hurlbut.....	Hutchinson, Minn.	Walsh, DeRoo & Co.....	Holland, Mich.
Otto Troost.....	Winona, Minn.	Lincoln Bros.....	Olivia, Minn.	Goodlander Mill and Elevator Co.....	Fort Scott, Ks.
E. T. Archibald & Co.....	Dundas, Minn.	Northey Bros.....	Columbus Junction, Iowa.	W. Seyk & Co.....	Kewaunee, Wis.
C. McCreary & Co.....	Sacramento, Cal.	Bryant Mill Co.....	Bryant, Iowa.	Topeka Mill and Elevator Co.....	Topeka, Kan.
Gardner & Mairs.....	Hasting, Minn.	David Kepford.....	Grundy Centre, Iowa.	Strong Bros.....	Graceville, Minn.
J. Schuette & Bro.....	Manitowoc, Wis.	Waterbury & Wagner.....	Janesville Minn.	C. A. Roberts.....	Fargo, D. T.
Minnetonka Mill Co.....	Minnetonka, Minn.	W. A. Weatherhead.....	South Lyons, Mich.	Coman & Morrison.....	Fox Lake, Wis.
J. D. Greene & Co.....	Faribault, Minn.	Geo. Bierline.....	Waconia, Minn.	J. G. Schaapp.....	Grand Island, Neb.
F. Goodnow & Co.....	Salina, Kansas.	James McCafferty.....	Burton, Mo.	Fred Schumacher.....	Akron, Ohio.
A. L. Hill.....	Faribault, Minn.	Geo P. Kehr.....	Menomonee Falls, Wis.	Warren Mfg. Co.....	Warren, Minn.
Beynon & Maes.....	Owatonna, Minn.	Winona Mill Co. compounding their present 24x60 Winona M.			
Eagle Mill Co.....	New Ulm, Minn.	Forest Mills Co.....	Forest, Minn.		



# The United States

# MILLER

Published by  
E. HARRISON CAWKER. { Vol. 15, No. 2. }

MILWAUKEE, JUNE, 1883.

{ Terms : \$1.00 a Year in Advance.  
Single Copies, 10 Cents. }

(FOR THE UNITED STATES MILLER.)

## CEREALS.

The *cerealia*, a genus of the family *gramineae*, derives its name from Ceres, the goddess of corn, and is the most important to man of all those into which vegetables have been divided. It consists of several species, all bearing a strong natural affinity to each other, and all resting their claims, as articles of nourishment, on the quantity of farinaceous or starchy matter which their seeds contain. To this family also belong the grasses, so necessary for the support of herbivorous animals, especially those of the domestic kind, as also the sugar-cane, which furnishes another important article of diet.

The principal plants forming the *cerealia* are wheat, rye, barley, oats, millet, rice, maize or indian corn; other cereal grasses, possessing the same farinaceous properties, are neglected only on account of the smallness of the seed. Every civilized nation, from the earliest records, has sedulously cultivated grain. In the sepulchres of the most ancient of the Egyptian monarchs, which have been explored by modern travellers, was found the common wheat, in vessels which were so perfectly closed, that the grains retained both their form and color. The wheat, buried there for several thousand years, affords a proof of the ancient civilization of Egypt as convincing as the ruins of temples and the inscriptions of obelisks. And yet, what is sufficiently singular, the corn plants, such as they are found under cultivation, do not grow wild in any part of the earth. Wheat has been traced, indeed in Persia, springing up in spots very remote from human habitation, and out of the line of the traffic of the natives; but this circumstance is far from proving that it is a production natural and indigenous to Persia. Other seeds are dispersed throughout the earth by winds and currents, and various other ways, but the corn plants in common with many other important vegetable productions, follow the course of man alone. The manner in which the most important gifts of Providence to mankind have been diffused by the influence of conquest or commerce, has some striking instances in the history of America. None of the cereal grasses, properly so called, were found in cultivation among the Mexicans when their country was first visited by Europeans. The foundation of the wheat harvests at Mexico is said to have been three or four grains, which a slave of Cortez discovered in 1530, accidentally mixed with a quantity of rice. The rice of Carolina is now the principal produce of that portion of the United States. Mr. Ashby, an English merchant, at the close of the 17th century, sent a hundred weight from China to this colony; and from this source all the subsequent rice harvests of that division of the new world, and the large exportations of the same valuable grain to Europe, have sprung. Facts such as these are highly interesting, because they exhibit the moral as well as the natural causes which influence the distribution of vegetable food throughout the earth.

Before describing the different kind of corn, it may be interesting to take a general view of their cultivation over the globe. The utmost northern limit of the culture of grain in Siberia reaches to 60° of latitude; and in the more eastern parts of the province these important products are scarcely to be met with higher than 55°. In the more southern parts of Siberia and in districts adjoining the Wolga, the land is exceedingly fertile, so that crops of grain are obtained with a very trifling amount of labor. Buckwheat is very commonly cultivated in this district, and it is found that one sowing of the seed will produce five or six crops in as many successive years, each harvest yielding from twelve to fifteen times the quantity first sown. Europe is indebted to Siberia for a particular descrip-

tion of oats, which are considered excellent; and at Yakoutch barley is sometimes seen to arrive at maturity. Barley and oats are the kinds of grain the culture of which extends furthest to the north. Rye follows next in order, being associated with oats and barley in the more northern division of the temperate zone. In the southern part of Norway and Sweden, in Denmark, in districts bordering on the Baltic sea and in the north of Germany, rye forms the principal object of cultivation, barley being raised in those countries, as with us, merely for the purpose of brewing, and the oats being limited chiefly to the feeding of horses. In all these last mentioned places wheat is also grown; but its consumption is limited, and the principal part is made an object of internal trade. In Sweden agriculture is pursued in a systematic and scientific manner, by which means the natural barrenness of the soil is in a considerable degree remedied—the province of Gothland producing barley, oats, rye and wheat, as well as pease and beans. Somewhat farther to the south rye in a great measure disappears, and wheat becomes the principal grain used for human food. France, England, part of Germany and Hungary, and the lands of western and middle Asia, fall within this description. In most of these countries the vine is also successfully cultivated, and wine forming a substitute for beer, the raising of barley is consequently much neglected. Still farther southward wheat is found in abundance, but maize and rice are also produced, and enter largely into the constituents of human food. Portugal, Spain, that part of France which borders on the Mediterranean sea, Italy and Greece, are thus circumstanced. Still farther to east, in Persia and northern India, Arabia, Nubia, Egypt and Barbary, wheat is indeed found; but maize, rice, and millet form the principal materials for human sustenance. In the United States wheat, rye and maize grow as in the more temperate regions of Europe and in the southern parts of the Union rice also is very largely cultivated. In Australia, wheat also forms the principal object of cultivation on the part of the settlers, but in the southernmost portions of that vast island or rather continent, and in Van Diemen's land, barley and rye are likewise to be found!

WHEAT, *Triticum*, perhaps the most valuable of all the *cerealia*, is an annual herbaceous plant, possessing the usual characteristics of the *gramineae*. Two sorts of wheat are cultivated in this country, *triticum hybernium*, or winter wheat, and *triticum aestivum*, spring or summer wheat. The former has a large plump ear, smooth or destitute of awn, with a conspicuous bloom, and a strong vigorous and erect stem. It is sown in autumn, begins to vegetate and remains green during the winter, and comes to maturity towards the end of the following summer. It is very apt to pass into varieties, arising from soil, climate, and modes of culture. Two of the most marked of them are the red and white wheat. Spring wheat, supposed to have come from the north of Europe, is less hardy than the winter wheat, the stem is more slender and delicate, the ear thinner and drooping, and furnished with beards and awns. According to the analysis of Sir H. Davy the nutritive quality of this kind is not quite equal to that of winter wheat, the proportions being 95½ per cent. in the latter, and only 94 per cent. in the former, of the entire bulk of the grains. The gluten contained in the two kinds varies in a greater degree, that of winter wheat being 24 while that of spring wheat is only 19, so that the winter variety is more eligible for the purpose of the baker.

Rye, *Secale cereale*. This grain has an appearance something intermediate between wheat and barley. The ear is bearded, and the stem tall and slender. Four species of this

plant are enumerated, *Secale villosum*, *orientale*, *creticum* and *cereale*. The *Secale cereale* is said to be a native of Candia. With the exception of wheat, rye contains a greater proportion of gluten than any of the cereal grains, to which fact is owing its capability of being converted into a spongy bread. It contains, likewise, nearly five parts in every hundred of ready-formed saccharine matter, and is in consequence easily converted into malt and thence into beer or ardent spirit. Rye is the common bread-corn in all the sandy districts to the south of the Baltic sea and the Gulf of Finland, furnishing abundance of food for the numerous inhabitants of places which, without it, must have been little better than sandy and uninhabited deserts. This grain, to which so many human beings are thus indebted for aliment, is subject to a disease which, when it occurs, not only deprives it of all its useful properties as food, but renders it absolutely noxious, and, it may even be said, poisonous to man. Whenever this disease has been witnessed, it has usually happened that a wet spring has been succeeded by a summer more than ordinarily hot. Tissot, a French physician, bestowed much attention on this subject, and it is from him we learn that the excrescence, which the grain then bears, is an irregular vegetation, which springs from the middle substance, between the grain and the leaf, growing to the length of an inch and a half and being two-tenth of an inch broad. It is of a brownish color.

BARLEY, *Hordeum*. This species of grain has a seed of a slenderer form, and a rougher covering or husk than that of wheat; the awn too is larger and more serrated than any of the other species of corn. Barley differs still more from wheat in containing more farina or starch, much less gluten, and about 7 per cent. of combined saccharine matter, which latter wheat does not possess previous to germination—There are four distinct species of barley, besides numerous varieties: *hordeum vulgare* or spring barley; *hordeum hexastichon*, winter or square barley; *hordeum distichon*, long-eared barley; *hordeum zeocriton*, sprat or battledore barley. In one respect barley is of more importance to mankind than wheat. It may be propagated over a wider range of climate, bearing heat and drought better, growing upon lighter soils, and coming so quickly to maturity, that the short northern summers, which do not admit of the ripening of wheat, are yet of long enough duration for the perfection of barley. It is the latest sown and the earliest reaped of all the summer grains. In warm countries, such as Spain, the farmers can gather two harvests of barley within the year, one in the spring from winter-sown grain, and the other in autumn from that sown in summer. The property of not requiring moisture admirably fits barley for propagation in those northern countries, where the duration of summer is limited to a very few months in the year, and where wet is of very rare occurrence from the time when the spring rains are over. The purposes to which barley is principally applied are those of brewing and distilling. Some portion is still brought more directly into consumption as human food; but this portion, for the most part, now undergoes the previous process of decortication (removal of the bark,) whereby it is converted into what is called pearl-barley.

OATS, *Avena*. This grain differs in its external appearance from wheat, barley, or rye, especially in the form of the ear. The ear is a panicle formed by the rachis, dividing into numerous branches, the large ones being at the base, while towards the top they gradually decrease, thus forming a conical or tapering figure. While the ear is yet recent the branches are erect, but as the seeds advance towards maturity, and become full

and heavy, they assume a dependent form. By this position the air and light has more free access to the ripening grains, while the rain washes off the eggs or larvæ of insect that would otherwise prey upon the young seeds. From these circumstances, as well as from the nature of the plant generally, oats are found to be of such a hardy nature as to thrive in soils and climates where the other grains cannot be raised. The nutritive quality of oats is smaller in a given weight than that of any other cereal grains. In oats of the best quality it does not exceed 75 per cent., while that of wheat is 95½ per cent. The very small proportion of saccharine matter ready formed in oats renders it very diffident and unprofitable to convert this grain into malt.

RICE, *Oryza sativa*. This is a panicled grass, bearing, when in ear a nearer resemblance to barley than to any other of the corn-plants. The seed grows on separate pedicles, springing from the main stalk, each grain is terminated with an awn or beard, and is enclosed in a rough yellow husk, the whole forming a spiked panicle. The stalk is not unlike that of wheat, but the joints are more numerous. The farina of rice is almost entirely composed of starch, having little or no gluten, and being without any ready formed saccharine matter.

There is little reason for doubting that this grain is of Asiatic origin. From the earliest record it has formed the principal, if not the only, food of the great mass of the population on the continent and islands of India and throughout the Chinese empire. The introduction of rice as an object of cultivation in America is of modern occurrence. The swamps of South Carolina, both those which are caused by the inland floodings of the rivers, are well suited for the production of rice; and not only is the cultivation accomplished with trifling labor, but the grain proves of a remarkably fine quality, being decidedly larger and handsomer than that of the countries whence the seed was originally derived. Rice is sown in Carolina in rows in the bottom of trenches. The sowing is for the most part completed by the middle of March. The rice harvest usually commences at the end of August and extends through the entire month of September, or even somewhat later.

REPORTED BREWERY OPENING.—We don't send any more reporters down to brewery openings from this paper if we know it. Last Thursday's experiment flooded us with valuable experience. We engaged a young man who recites poems at the temperance meetings on Sunday evenings, and told him to give us a full report of the Fredericksburg brewery by telegraph if necessary. This is what we got:

"Calaboose, San Jose, Thursday evening. Your man locked up on three charges of assault and battery, drunk and disorderly, resisting the police, vulgar language and malicious mischief. Signed, —, Chief of Police."

The next man that wants to represent the *News Letter* at any convivial gathering must bring a written certificate, signed by at least three saloon keepers, that he is a good reliable hard-drinker, who can stand up in front of a bar all night and write a good solid article about the depreciation of silver afterward. There are plenty of such men to be had, but we missed it this time.—*San Francisco New Letter*.

## APHORISMS FROM THE QUARTERS.

(From the Century Bric-a-Brac.)

Your luck aint always ekul to de lenk o' your fishin pole.

Grass don't grow high roun' de corn-crib. De man aint put togedder right dat don't lub his own dorg.

It takes a hones' miller to keep lean shotes. Don't kill de old goose in sight o' de fedder-bed.

De full moon is a po' han' to keep secrets. Old hen got 'nough l'arnin' to tell her own chillun in de dark. J. A. MACON.







## SECRETARY SEAMANS SPEAKS.

Editor Northwestern Miller:

I note with interest your comments in regard to the recent favorable decisions given by the U. S. Supreme Court whereby millions of dollars are saved to the millers of the country. These were great victories. I think many do not realize the extent, or importance thereof, as they would, had they been upon the "rack" these many years watching every move, contesting every step, of a vigorous and determined adversary. In short, had they enjoyed the pleasures of being a member of that awful "star chamber committee," and danced attendance to the demands upon their time, in season and out of season, for nearly six years; under such circumstances they would appreciate the relief of that committee upon receiving Mr. Harding's message conveying the welcome news: "Supreme Court decided Denchfield case in our favor; orders decree to be reserved and bill dismissed." While our committee have ever been sanguine that the claim would ultimately be defeated, this belief did not prevail generally among those having a knowledge of the case, believing that inasmuch as Judge Blatchford had given a decision in the case, adversely to the defence, the court above would sustain his decree. It would seem that now is the proper time to "make up the score" and "honor the brave," for there are some heroes, and many incidents worthy of special mention.

There can be no doubt that the great Cochran suit—possibly more so than any other—was the means of bringing to the notice of the Supreme Court a realizing sense of the inequities that were being perpetrated under rules of the patent office and the law as it now stands. The re-issue of that patent and its ratification by the United States Supreme Court, was the work of experts; its subsequent defeat and setting aside of the decision by which it was affirmed, through the masterly and able effort of Mr. Harding, was a measure that benefitted every branch of trade that uses patent improvements of any kind, and no doubt paved the way to a successful defeat of the Denchfield, and many other patent suits.

The Denchfield suit has been a long, tedious and expensive litigation, pressed with great determination from the outset. Every effort possible was made to induce defendants to compromise or settle in order to break the defence, and collect the royalty claimed upon the strength of such settlements, but without avail.

Amid the "suck of barterers for immunity," we are very proud of our genial friend—the defendant in this case—W. G. Gage, of Fulton, N. Y., who has stood all these years as firm as the "granite hills," refusing all inducements to settle or compromise his case or his brother millers, when he might have done so if he would only "sign" for the full amount of the claim against him. Yet, with a judgment against him of nearly \$4,000, and interest accumulating daily, he never wavered. My pencil cannot do him justice. He is a hero in the broadest sense. We cannot honor such men too highly. Would that all our millers were like him; what an association we could then boast of. Instead of 3,000 capacity, we would have 30,000, a small assessment, and once in five years would be all that would be necessary to replenish the finances.

Much has been said about the facility with which our Rochester friends could turn out Cartier & Robinson models. In this they were no doubt experts, but, nevertheless, we must not forget that we are indebted to that little band of Rochester millers, who steadily and persistently refused to settle, or compromise their cases although offered a free license if they "would only sign a contract purporting to pay \$100 per run, royalty. Rather than do this, they contested the demand at a cost of \$60 per run, before the National Association relieved them of the burden. Verily they are entitled to a public recognition as honorable and true men.

To the attorneys in this case we certainly owe much. From first to last they have predicted success at the court of final resort. To Mr. Harding, for his shrewd and masterly generalship in the management of the case, after defeat had placed us at a disadvantage, to his wise counsel and encouragement, together with his strong faith in a successful termination, which was made more forcible by his offer to contest the claim on a contingent fee, thereby strengthening the faith of our committee in his counsel. In the prosecution of this defense, he has been ably assisted by Mr. Gridley, of Chicago, who has had charge of all the suits in Wisconsin, Minnesota and

Illinois, and by Mr. Geo. B. Selden, of Rochester, who has really done the work. To Mr. Selden's untiring zeal in the working up of details, collecting of evidence—home and foreign—taking testimony, laboring against great odds, meeting defeat without losing faith, insisting always "that the court of last resort would do his clients justice." His labors untiring, and his faith in final success never wavered.

There are, no doubt, others that have contributed much toward the success of this long and tedious contest. Certainly the rank and file, who furnished the "sinews of war," maintained their faith in the committee—never questioning, but always responding to the numerous calls for money—are equally entitled to credit with those that "buckled on the armor and stood the brunt of battle."

The same messenger that brought the cheering news from Mr. Harding also brought from Messrs. Parkinson & Parkinson: "Downton case settled in our favor by Supreme Court." It was no doubt a surprise to many of our members upon learning that the association had taken a hand in the Downton contest, when they already had a contract with Downton which placed a limit to the liability of members in case Mr. Downton sustained his claim in the courts. This was an "option," and did not prevent our taking up the defense if circumstances should make it necessary or our interests required it. It is therefore quite proper to give our reasons for entering into a defense under these circumstances. The reasons and facts are many, but a few will suffice at this writing: Mr. Downton, after concluding his arrangement with the association, immediately secured the services of Mr. Harding to prosecute his claim, which was all right and proper, and to which no one took any exceptions, but was considered a wise move on the part of Downton.

Nevertheless, no member of the committee believed Mr. Downton's claim could possibly be sustained, providing the case was earnestly defended. The object the committee had in view was to force the manufacturers of rolls to make this defense, and relieve the association from such expense. Mr. Downton brought his case against the Yaeger Milling Co., of St. Louis, and was defeated in the United States District Court by the attorney of the Yaeger Milling Co. and F. W. von Cotzhausen, as the attorney of Fr. Wegmann, Zurich, Switzerland. So far, all seemed "fair and square." Mr. Downton then appealed to the United States Supreme Court. The committee had no idea of making any defense until about July last, when it became apparent that there was to be no defense made before the Supreme Court that could be considered sufficient from the association's standpoint. "There seemed to be too many holes in that skimmer."

1. We knew well the wonderful ability and genius of Mr. Harding. He was also reputed to have a large interest in the ownership of the patent.

2. If the Supreme Court should declare it valid, there was millions in it for him, which our millers would have to pay.

3. The Yaeger Milling Co.'s attorney was dropped from the case, the company having failed, consequently they were making no defense.

4. Mr. Downton had stated "that the contract with the M. N. A. was of no account, and would be contested on the ground that the association members, since the contract was entered into, had bought rolls of other parties and not of his company as the contract contemplated, and was therefore not binding."

5. Mr. Downton repeatedly stated to the writer that his relations with Allis & Co. were of a very unfriendly nature; that he expected to see the time when he would "get even with them," and that under no circumstances would he enter into any future business relations with them. Yet we find about this time (July, 1882), Allis & Co. are advertising the "Cranston-Dawson roll," of which Downton claimed sole ownership, and Downton in return advertising the "Gray belt drive." This certainly did not look like "war to the knife, and the knife to the hilt."

6. About this time (July, 1882), an interview by telephone with Mr. Allis in regard to this case elicited the reply that "they were not contesting the claim and had no interest in it." Rather a singular stand for the largest manufacturer of rolls in the United States to take, and not in accordance with the idea that "manufacturers of rolls would defend this suit—for their own protection."

7. At a future interview by telephone with Mr. Allis as to who was his patent attorney? elicited the reply, "Mr. Rainey of St. Louis."

Mr. R. was also attorney for Downton, and reputed part owner of the Downton patent, and also that "Mr. Von Cotzhausen was in the employ of Wegmann, and he (Allis) had nothing to do with him."

8. Mr. Cotzhausen, the attorney for Wegmann, and who made an able argument in his (Wegmann's) behalf, in November last, stated that the Wegmann rolls were grinding rolls, with differential speed and characteristically different from Downton's flattening rolls operated at even speed. Consequently Wegmann's interest is not directly in question, and this is the only view that could be entertained; consequently we failed to see wherein the interests of the association were securing any defence. Now in view of these facts and many others that appeared as the investigation progressed, it was deemed for the interest of the association to make a defence, and to that end we invited the Jno. T. Noye Mfg. Co., of Buffalo, to join us, which they very cheerfully did, and have shared equally with us in the expense; they are certainly entitled to our consideration.

Messrs. Parkinson & Parkinson, of Cincinnati, were secured to defend in behalf of the association. It was considered advisable not to make the matter public during the contest, as much could be done that otherwise might have been defeated. In getting in their defence Messrs. Parkinson & Parkinson labored under many difficulties, the time allowed them for argument being wholly inadequate to a complete presentation of the case; however, the time at their disposal was used to great advantage.

There are many other "holes in the skimmer" that "need a plug," but time and space forbid. This much is deemed necessary to answer certain criticisms that have appeared, viz., that the association retained Parkinson & Parkinson to represent their interest and save their members, if possible, the license fee which they had agreed to pay in case the patent was sustained. Such criticisms are unwarranted, and not sustained by the facts, and emanate with bad grace, from the quarter which they come. As to Mr. Downton's invention, no member of the committee, or any member of the association ever believed it could possibly stand the tests of the court if properly defended. Our agreement contemplated a vigorous defense, with it falls many other and similar claims, which the patent office has been prolific in granting.

Our "docket" is now clear for the first time in 7 years. What an interesting spectacle, less than 3,000 capacity have been paying out money doing the work and defending the rights of 20,000 capacity, who stand aloof like the Tories of the revolution, enjoying the fruits of other men's toil without due recompense, and yet they no doubt claim to be honest honorable men. Verily, they see through a glass darkly. Yours truly,

S. H. SEAMANS.

Milwaukee, May 14.

## GOOD LEGAL NEWS FOR MILLERS.

The "Downton" and "Denchfield" Patents declared Void.

The millers of the United States will long remember May 7th, 1883, as being an important one to the entire milling industry. On that day the UNITED STATES SUPREME COURT rendered final decisions in what are generally known as the "Downton" and "Denchfield" suits against millers for infringement of their respective patents.

## THE DOWNTON SUIT.

This suit technically styled Robert L. Downton vs. The Yaeger Milling Co., came up for trial and decision therein was rendered in the U. S. Circuit Court for the Eastern District of Missouri in September, 1879. The claim in Downton's patent was as follows: "The herein described process of manufacturing middlings flour by passing the middlings after their discharge from a purifier, through or between rolls and subsequently bolting and grinding the same, for the purpose set forth."

Judge Treat, after an exhaustive hearing of the cause dismissed the bill, deciding that the patent "was void for want of novelty and uncertainty." Downton in this action demanded \$50,000 damages from the Yaeger Milling Co. and a perpetual injunction. From this decision Downton appealed to the Supreme Court of the United States where a final decision was made against him as above stated.

In view of the part in the recent defense made by the Millers' National Association it may be well to briefly review the progress of this case. The contract for building the Yaeger Mills in St. Louis, was awarded to Messrs. Edw. P. Allis & Co., of Milwaukee. At that time Downton was in the employ of

Allis & Co., and it is alleged that while in their service he placed the rolls in the Yaeger Mill which formed the basis for the Downton's suit against the Yaeger Milling Co.

Not long before this, Frederick Wegmann, of Zurich, Switzerland, had introduced porcelain roller-mills in this country, and the firm of Allis & Co. were his sole agents. When the Downton case was commenced Mr. Wegmann was of the opinion that if he (Downton) should be successful in sustaining his claims that it would interfere with his (Wegmann's) sale of roller-mills in this country, he therefore employed counsel, Mr. F. W. Cotzhausen, of Milwaukee, to defend the cause. Downton was defeated in St. Louis and took his appeal to the Supreme Court. The original defendant, The Yaeger Milling Co., were in bankruptcy, Wegmann's counsel, Mr. Cotzhausen had come to the conclusion that Downton's claims did not conflict with his clients (Wegmann's), and Messrs. Edw. P. Allis & Co. claimed to have an assignment of his (Downton's) patent from Downton, so that if Downton should win, it would be for the benefit of Allis & Co. and in case he lost, they would suffer no material damage.

The defense stood in this condition in April, 1882, at which time Mr. Seamans, Secretary of the Millers' National Association, reviewed the situation carefully and determined that it was of importance that the suit should be vigorously defended in the interests of the Association. After considerable correspondence, the Executive Committee approved of the Secretary's plans, and he was duly authorized to retain Messrs. Parkinson & Parkinson, of Cincinnati, to defend the interests of the Association and to induce some of the manufacturers of roller-mills to assist in the defense. In August, 1882, the JOHN T. NOYE MANUFACTURING Co., of Buffalo, N. Y., agreed to join in the defense with the Association and to defray half of the expense. It is quite possible that the final result in this suit might have been different had it not been for the watchfulness of the Secretary and the prompt action taken by the Executive Committee, which was certainly of material aid to others engaged in the defense.

## THE DENCHFIELD SUIT.

In April, 1858, John Denchfield, of Oswego, received a patent for an alleged improvement in cooling or drying meal in process of manufacture. The invention consisted of a combination of the meal-spout and conveyor-box, a suction fan and suction spout, by means of which air is drawn through the curb, meal-spout and conveyor-box and suction-spout, cooling the stone and meal and carrying off moisture, so that the accumulation of dough is prevented, and also the escape of flour-dust into the mill.

Denchfield's patent having been purchased by a syndicate of speculators, suits were commenced in July, 1874, against Gage & Co. and Nelson & Co., of Fulton, N. Y. Hon. H. R. Selden, of Rochester, N. Y., was employed as counsel to defend the cases. After a lengthy trial, Judge Johnson decided in favor of the patentees, and the damages were fixed by Ward Hunt, Master in Chancery, as being equal in value to one barrel of flour out of every 600 made. An appeal was made to the U. S. Supreme Court, and in the meantime many suits were brought in Wisconsin, Illinois and Minnesota. Efforts were also made to compromise with the Millers' National Association. The Association offered to pay \$25 per run, but the proposition was declined by the Denchfield party. The final arguments in the U. S. Supreme Court were made by Counsellor Thurston for the Denchfield party, and by Counsellor Harding for the millers. The decision was in favor of the millers, on the grounds that a re-issue must be for the identical claim for which the original patent was granted, and that a broadening of the claim by dropping out some of the essential elements, invalidates and renders the re-issued patent void.

## BOOK NOTICES.

Among the many good things found in HARPER'S MAGAZINE for April may be mentioned the following: Faustus—Frontispiece—From a drawing by E. A. Abbey; Lambeth Palace: "Ye Archbishop's Inue"—Zadel Barnes Gustafson—With ten illustrations; The Folding—A Poem—Annie Fields; The Hundred Years' War—T. W. Higginson—With seven illustrations; A Castle in Spain—A Novel Part II—With four illustrations by Abbey; Indian Art in metal and wood—J. L. Kipling—With fourteen illustrations; On the edge of the marsh—A Poem—Miss A. A. Bassett; The Home of Hiawatha—Ernest Ingersoll—With twelve illustrations; Sunlight mysteries—William C. Wyckoff—With nine illustrations; Rus—A Sketch—Charles Reade; Unuttered—A Poem—John B. Tabb; The Romanoffs—Part I—H. Sutherland Edwards—With thirteen portraits; Death in the Sky—A Poem—George Edgar Montgomery; Faustus—A Poem—S. S. Conant; Carlsbad Waters—Titus Munson Coan, M. D.; The mount of Sorrow—Harriet Prescott Spofford; An Aesthetic Idea—A Story—A Working Girl.



## UNITED STATES MILLER.

E. HARRISON CAWKER, EDITOR.

PUBLISHED MONTHLY.

OFFICE, Nos. 116 &amp; 118 GRAND AVENUE, MILWAUKEE, WIS.

SUBSCRIPTION PRICE.—PER YEAR, IN ADVANCE.

To American subscribers, postage prepaid.....\$1 00  
To Canadian subscribers, postage prepaid..... 1 00  
Foreign Subscriptions..... 1 50

All Drafts and Post-Office Money Orders must be made payable to E. Harrison Cawker.

Bills for advertising will be sent monthly, unless otherwise agreed upon.

For estimates for advertising, address the UNITED STATES MILLER.

[Entered at the Post Office at Milwaukee, Wis., as second class matter.]

MILWAUKEE, JUNE, 1883.

We respectfully request our readers when they write to persons or firms advertising in this paper, to mention that their advertisement was seen in the UNITED STATES MILLER. You will thereby oblige not only this paper, but the advertisers.

## Flour Mill Directory.

CAWKER'S AMERICAN FLOUR MILL DIRECTORY shows that there are in the United States 21,356 flour mills and in the Dominion of Canada 1,488. The mills in the United States are distributed as follows:

Alabama, 388; Arizona, 17; Arkansas, 234; California, 209; Colorado, 52; Connecticut, 309; Dakota, 44; Delaware, 96; District of Columbia, 7; Florida, 81; Georgia, 514; Idaho, 18; Illinois, 1258; Indiana, 1163; Indian Territory, 3; Iowa, 872; Kansas, 437; Kentucky, 642; Louisiana, 41; Maine, 220; Maryland, 349; Massachusetts, 363; Michigan, 831; Minnesota, 472; Mississippi, 297; Missouri, 942; Montana, 20; Nebraska, 205; Nevada, 10; New Hampshire, 202; New Jersey, 445; New Mexico, 28; New York, 1942; North Carolina, 556; Ohio, 1462; Oregon, 129; Pennsylvania, 2786; Rhode Island, 47; South Carolina, 205; Tennessee, 620; Texas, 548; Utah, 129; Vermont, 231; Virginia, 689; Washington Territory, 45; West Virginia, 404; Wisconsin, 780; Wyoming, 3; Total, 21,356.

The directory is printed from new Burgeois type on heavy tinted paper and is substantially bound. It makes a book of 200 large pages. The post offices are alphabetically arranged in each state, territory or province. The name of the mill, the kind of power used and the capacity of barrels of flour per day of 24 hours are given wherever obtained which is in thousands of instances. This work is indispensable to all business men desiring to reach the American Milling Trade.

Price Ten Dollars per copy, on receipt of which it will be sent post paid to any address. Remit by registered letter, post-office money order or draft on Chicago or New York made payable to the order of E. Harrison Cawker, publisher of THE UNITED STATES MILLER, Milwaukee, Wis.

## MILLERS' NATIONAL ASSOCIATION.

Secretary's Office, Milwaukee, Wis., May 12th, 1883.

Messrs. The Jno. T. Noye Mfg. Co.,  
Buffalo, N. Y.

I am in receipt of your draft on the National Shoe and Leather Bank, New York, for the \$.....being one-half of retainer fee and expenses of Parkinson & Parkinson, Cincinnati, O., in case Downton vs. Yaeger Milling Company as agreed. The result of this contest equals our most sanguine expectations, and should be a source of mutual satisfaction. Thanking you for the financial aid so freely extended in behalf of the milling interests.

I remain, yours very truly,  
S. H. SEAMANS, Sec'y.

FORTY-EIGHT per cent. of all the cleared land in the Province of Ontario, Canada, is used for raising grain, and 26.3 per cent. is sowed to wheat.

SOME of the leading French millers have at last adopted the roller mill system and have found it profitable. It is said by a French correspondent that there is little doubt but that most of the large French mills will be changed into the roller system within a year.

THE Roller Mill has come out with another device for a bran-packer and claims that \$1,000 prize—it is no use trying to beat our Minnesota man's device as published in our May number—To him belongs the "cake" and—ergo—he must have it. The Roller Mill's device is a clear infringement.

THE Case Manufacturing Co., of Columbus, O., informs us that they have just increased their capital stock and broken ground for two new buildings which will add about 30 per cent. to their present capacity. They report business exceedingly good and add, "we are daily making new entries in our order book, many being for full roller mills on our system from neighborhoods in which we already have our mills running."

THE SPENCERIAN BUSINESS COLLEGE in Milwaukee has during the past year had a very large attendance and the work done has been unusually good. There are no vacations and students are admitted at any time for the business course or for special branches, including short-hand and type writing. The advantages afforded during the summer months, including July and August are excellent.

THE Downton Manufacturing Co., of St. Louis, are doing a good business and selling roller mills all over the country. Now that the legal matters are out of the way they expect to do a larger business than ever.

THE Missouri Millers' Association met in St. Louis May 18, in the words of the Secretary, "to elect officers for the ensuing year and transact such other business as might be brought before the meeting." The business transacted consisted of the election of officers and a royal boat ride with an elaborate lunch.

OFFICIAL report of the wheat and corn production of the United States for 1882, furnished by the U. S. Agricultural Department to S. W. Tallmadge, of Milwaukee.

States and Territories.	WHEAT.		CORN.	
	Bushels.	Acres.	Bushels.	Acres.
Maine.....	512,100	43,700	904,400	30,987
N. Hampshire.....	148,700	11,500	870,700	37,269
Vermont.....	378,000	21,150	1,930,300	56,916
Massachusetts.....	20,100	1,180	1,237,200	57,120
Rhode Island.....	43,600	2,150	277,900	12,100
Connecticut.....	12,145,200	772,400	21,187,500	37,577
New York.....	2,098,700	154,000	9,942,800	343,536
New Jersey.....	20,300,700	1,488,700	43,518,800	1,388,245
Pennsylvania.....	1,200,600	98,800	3,936,600	208,182
Delaware.....	8,655,600	620,000	17,914,700	691,542
Maryland.....	8,311,400	918,900	35,904,000	1,881,568
N. Carolina.....	1,729,000	230,000	34,260,700	2,446,056
S. Carolina.....	3,812,900	510,000	16,356,200	1,361,256
Georgia.....	850	80	36,617,500	2,747,005
Florida.....	1,700,800	285,000	31,982,500	392,073
Alabama.....	250,100	55,000	30,233,600	2,300,341
Mississippi.....	7,500	2,200	14,686,400	790,336
Louisiana.....	4,173,700	460,000	63,416,300	3,800,329
Texas.....	1,566,100	215,000	24,485,900	1,596,672
Arkansas.....	9,971,200	1,260,000	75,188,600	3,119,371
Tennessee.....	4,854,300	430,000	14,927,000	588,233
West Virginia.....	17,250,000	1,287,000	75,500,900	3,132,248
Kentucky.....	43,453,600	2,876,000	93,319,200	2,977,680
Ohio.....	32,915,100	2,385,000	107,484,300	3,438,332
Michigan.....	45,461,800	2,768,000	182,356,900	7,914,042
Indiana.....	52,302,900	2,956,000	82,201,600	1,117,240
Illinois.....	23,145,400	1,610,000	21,127,600	661,050
Wisconsin.....	33,030,500	2,547,000	175,487,600	6,777,302
Minnesota.....	25,487,200	2,485,000	170,037,000	5,763,102
Iowa.....	27,538,600	2,335,000	144,452,600	4,280,430
Missouri.....	18,800,000	1,637,000	82,478,200	2,364,120
Kansas.....	36,046,600	2,767,000	2,790,900	98,634
Nebraska.....	12,689,300	723,000	130,000	5,450
Nevada.....	4,320	4,320	18,000	830
Colorado.....	1,598,200	95,000	122,400	21,076
Arizona.....	220,000	15,500	57,000	2,709
Dakota.....	11,460,000	720,000	4,650,000	186,247
Idaho.....	650,000	40,625	45,000	1,580
Montana.....	685,000	42,812	18,000	492
New Mexico.....	767,000	63,917	965,000	45,594
Utah.....	1,250,000	81,500	275,000	13,208
Washington.....	2,440,000	148,000	62,000	2,646
Wyoming.....	25,000	1,560		
Indian Terr.....				
Total.....	504,185,470	37,067,194	1,617,025,100	65,659,546

## ABOUT THE DOWNTON CASE.

AN INTERESTING LETTER FROM MESSRS. EDW. P. ALLIS & CO.

MILWAUKEE, WIS., May 28, 1883.

Editor United States Miller.

Although the celebrated suit of Downton vs. The Yaeger Milling Co. is now a thing of the past, in view of the general amount of misinformation regarding it, we think it proper to state a few facts in connection with it in order that your readers may be better enabled to give credit for the successful termination of this suit to the parties who have contributed most largely both in work and money to defeat the Downton patent. There have been so many errors and misstatements in the several milling papers both regarding the suit and our relations thereto that we wish to get matters straight so far as lies in our power and without taking any credit to ourselves, to place it where it actually belongs. In order to do this, we will give a little review of the history of this case in its early stages.

Up to the Vienna International Exposition of 1873 roller milling, although in Germany at an early time extensively practiced, was comparatively little known. The first roller mills did not prove adequate to the general demand. The science of roller milling was fairly understood, but the art practically abandoned. In the United States, prior to 1873, no instance can be traced where rolls were ever used on middlings. Since the Vienna Exhibition and the almost simultaneous invention of the Wegmann Porcelain Rolls, roller milling received a new impetus abroad, and rapidly spread to the American continent. To the vigorous agitation by the famous engineer Oscar Oexle, is due to a very great extent the universal adoption of rolls in milling. It was Oexle who at the Millers' Convention at Buffalo, in 1877, first pronounced the Downton roller patent to be an imposition upon the milling public, and who caused to be published under date July 12, 1877, the following letter:

OFFICE OF EDW. P. ALLIS & CO.,  
MILWAUKEE, WIS., JULY 12, 1877.

Editor American Miller.

In your July number you publish a card from R. L. Downton and Tom Miller, Jr., wherein they assert the exclusive right to "sell and license rolls of any material to be used in crushing middlings," and threaten to prosecute, as infringers, all who use rolls not procured from or through them.

Now, you will oblige us by bringing to the notice of your readers the following facts, so that millers shall not be misled by the above assertion, which, although broadly made, is utterly without foundation.

What is called the Downton Patent No. 162,157, wherein "he claims to have invented a new and useful improvement in the process of manufacturing the middlings flour, by passing the middlings after they are discharged from a purifier through or between rolls," is nothing more or less than borrowed from standard scientific works, published in Europe, and extensively circulated here. The use of rollers in this connection, being known and resorted to abroad as early as 1835, and to the certain knowledge of the undersigned introduced into this country ever since 1873.

No one ever thought it possible that a process so well known and widely spread would be made a subject of patent right, until Mr. Downton filed his application at Washington on March 29, 1875.

By the Wegmann patent, No. 182,250, applied for on this continent May 21, 1875, and dating back in England to 1874, the use of rolls generally is not covered, the improvement claimed being in the unbroken surface of porcelain or other equivalent silicious substance, and certain other mechanical appliances in the machinery.

Ready to substantiate the above statements by the most overwhelming proof, our attorney, Hon. F. W. Cotzhausen, of the firm of Cotzhausen, Sylvester, Schreiber & Smith, at Milwaukee, by our direction, under date of July 5, 1877, addressed a letter to Mr. Rainey, the attorney of Messrs. Downton & Miller, wherein he said: "If Mr. Downton would file a bill against Mr. Wegmann or Oscar Oexle, to test the validity of his certain patent right, we are authorized to enter their appearance, with a view of bringing the matter to an early and final decision; but it must be apparent to you that the continued writing of letters to third parties, interested in the purchase of rolls, and threatening them with litigation, is anything but fair, especially when we tender the opportunity of testing your clients' rights in a suit against the principal and his agents."

Notwithstanding our said offer, no suit of any kind has as yet been commenced against us. Mr. Downton and his associates well know that we are constantly selling the Wegmann patent rollers and infringing upon his pretended patent right. Now, what we desire is an opportunity in court to expose the piracy of those parties, and we therefore call upon our customers who may be molested by threat of suit, in any way or manner, to immediately notify our attorney, F. W. Cotzhausen, so that we may be permitted to assume and conduct the prosecution or defense of the case.

Please insert the above in your esteemed paper and oblige,  
Yours, etc.,

FR. WEGMANN,  
OSCAR OEXLE.

The suit of Downton against the Yaeger Milling Co. was the result of such challenge. Mr. F. W. Cotzhausen, attorney for Wegmann, took charge of said case and was assisted on the hearing by Geo. M. Stewart, of St. Louis, as local counsel and solicitor of record. A great deal of testimony was taken over all parts of the United States, and all expenses were cheerfully defrayed by Mr. Wegmann. No other person ever contributed thereto. The National Millers' Association was tendered by the attorneys for Wegmann the privilege of assisting in the defense, but did not accept thereof; on the contrary, the Executive Committee, pending such litigation, in May, 1879, gave notice that "on behalf of members satisfactory arrangements had been made for license under said patent," and its action in this behalf seriously embarrassed the efforts of Mr. Cotzhausen and client. To relieve the milling public of a monopoly, which at that time was asserted on all rolls which were used for crushing middlings—see Oexle's letter to American Miller, July 18, 1879,—the decision at St. Louis in Mr. Wegmann's favor was an unexpected blow to those in sympathy with the patent. It was the result of hard labor and earnest fighting.

Mr. Downton appealed. The Supreme Court in disposing of the case now adopts almost the identical words of Oexle in his letter of July 12, 1877, where he said that, "the Downton pretended process is nothing more or less than borrowed from standard European scientific works; that the use of rollers for this purpose was known and resorted to abroad as early as 1835."

The suit of Downton vs. The Yaeger Milling Co. was brought just at the time Mr. Fr. Wegmann was first introducing his porcelain roller

mills into this country. At first, Mr. Wegmann was of the opinion that the Downton patent, if sustained, would materially interfere with the further sale and use of his machine here, and he therefore retained Hon. F. W. Cotzhausen, of this city, as his attorney, and instructed him to undertake the defense of the suit. Further consideration convinced Mr. Wegmann that the Downton patent would not materially interfere with the sale of his machines, as they were not used in the manner or for the purposes specified in the process patent, but having once undertaken the defense and being convinced that it would cost the millers of the United States much money unless carefully defended, and having too much pride in the matter to allow it to go by default, he instructed Mr. Cotzhausen to continue the defense vigorously and prosecute it to a successful termination. The expense incident to the defense has been most largely borne by Mr. Wegmann and the work by Mr. Cotzhausen, and it is but simple justice to these gentlemen that the facts should be explicitly stated.

Without taking in the least from any credit which can justly be claimed by others, it is but simple justice to Messrs. Wegmann and Cotzhausen to state the fact of their unwearying interest in defending the suit and carrying it to the court of last resort and their unstinted expenditure of time and money to secure a decision which should benefit every miller in this country, whether a member of the National Association or not, and to place the right to use either smooth iron or porcelain rolls beyond a question.

The Secretary of the Millers' National Association has seen fit to make public a few of his many "suspicions" regarding the connection with this case and following the precept of the French law which considers every man guilty until he proves himself innocent, he by implication charges collusion between ourselves and Mr. Downton. His three principal counts in the indictment are:

1. Despite many savage remarks by Downton, it was found that Downton was using the belt drive, and that we were prepared to furnish such of our customers as desired them with rolls under the Dawson-Cranson patent.

2. That we were not actively interested in contesting Downton's claims.

3. That Mr. Rainey, at one time Downton's attorney, was our attorney also.

Without noticing the frivolous character of the first and third counts further than to say that we cannot be held responsible for Mr. Downton's loud talking, and that the arrangement regarding the Grays Belt Drive and the Dawson-Cranson rolls could have no direct or indirect connection with Downton's fight with Wegmann; and further that Mr. Rainey was our attorney in certain cases in which neither the millers' association, the millers outside the association, nor Downton himself were interested, we wish to state in answer to the second count, that we were not interested in the defense of the suit and steadily refused all solicitation to become parties thereto, because we were already contesting Mr. Downton's claim to the ownership of the patent and had appealed our suit in order to be in position should the Downton patent be sustained by the supreme court, to reopen the case and introduce new evidence which we had obtained since the first trial. This we could not have done had we become in any manner implicated in the suit between Downton and the Yaeger Milling Co, which suit was being vigorously defended by Mr. Wegmann and his attorney Mr. Cotzhausen. Our only intention was to keep ourselves in shape to protect our customers and if in doing this we protected millers who were not our customers, we could, were we so disposed, claim the same credit that the association does for protecting others than its own members.

Whatever may have been the motives which led the association into joining the defence, we have no disposition to question them or to detract from any credit which may be due to the association or its attorneys. We do not intimate any suspicion because the attorney for the association in one case was the attorney for Downton in another, nor cry out collusion because the association had previously compromised with Mr. Downton on this same patent. We simply desire to give all credit to the persevering efforts of Messrs. Wegmann and Cotzhausen, which have resulted in saving millions to the Millers of the United States.

Yours truly,

EDW. P. ALLIS & CO.

ED. DURANT, formerly of the City Mills, Milwaukee, is now located at Arvilla, Grand Forks Co., Dakota, where he has charge of a 150,000 bushel elevator, etc. A roller mill is to be erected there this summer.



[The following article which was written for *The Miller*, London, by a milling engineer, contains many points of interest and much information of value to young American millers who have a desire to learn. The publisher of the UNITED STATES MILLER has endeavored to obtain an article something similar to this from a well known American milling engineer, but as he has been unable to do so, he believes he renders a valuable service to his readers by republishing from *The Miller*, London, the article as below. The article was prepared with a view to assisting millers to pass the examination for admission to the ranks of English journeyman millers.]

## STUDIES FOR YOUNG MILLERS.

## Milling Technology, with Suggested Questions for Examination Therein.

6. *Manufacture*.—Mechanical questions in relation to the manufacture of flour should embrace theoretical as well as applied mechanics. The mechanical principles involved in milling processes are generally of a highly complicated nature, and they very rarely admit an application of elementary rules.

The object of all milling processes is either *reduction* or *separation*. The grain is first separated from dirt and foreign admixtures, then it is subjected to various *reductions*, and finally the finished products of each reduction are separated from the unfinished products until a more or less perfect separation of the *digestive* parts from the *indigestive* parts has been attained.

The object of the *reduction* of grain is to overcome its internal resistance, and thereby to destroy the connection of its parts. This can be done either by a *tearing*, *crushing*, *cutting*, or *percussive* action.

A *tearing* action is produced in those reduction machines where the grain is brought between a rotating and a fixed body, or between two rotating bodies having differential velocity. The grain is held back by friction, or by the peculiar construction (furrows, flutes) of the working parts of the machine, while either the moving or fixed part draws the grain forward, thereby tearing it asunder, or at least detaching small parts from the same. This tearing action is the characteristic of all millstones, and most disc mills, except those of the latter, which have been specially constructed with polished surfaces and without cutting edges in such a manner that they work moderately percussive, like the Johnstons Mills reduction machines.

A *crushing* action is produced either by two rotating bodies moving with equal velocity (smooth crushing roller) or by a heavy cylindrical body rolling over a fixed plane surface.

A *cutting* and *scraping* action occurs in those reduction machines where the two rotating bodies have a certain number of sharp continuous cutting edges, and move with differential velocity (fluted rollers). As soon as the edges are made round (non-cutting) the action becomes more bruising and crushing. If one of the sharp fluted surfaces is standing still while the other moves at a certain speed, the action becomes more or less tearing, like that of fluted rollers with fluted grinding blocks, or that of sharp fluted disc mills.

A *percussive* action finally takes place in those reduction machines where the grain is thrown violently against the projections of a fixed disc by means of the projections of a rapidly revolving disc (disintegrators), or where the grain is impelled by means of a rapidly moving stream of air and is thus thrown against a fixed disc (Chichester's pneumatic reduction machine).

The *separating processes* employed in the manufacture of flour may be divided in two classes. In the one class the reduced material is separated according to its *weight* (sifting process), and in the other it is separated according to gravity (purifying process).

The mechanical principles relating to these various processes are mostly complicated, and it is therefore evident that only a thorough knowledge of both *applied* and *theoretical* mechanics can give the milling student a perfect idea of the most advantageous mode of operation.

Millers intending to study applied mechanics for the coming milling examinations should first read descriptions of steam and water motors and of milling machines, and they should take special notice of the details of such machinery. Next they should familiarize themselves with the mechanical principles of simple machines like levers, pulleys, and that of the inclined plane. Also screws, the principle of wheel and axle, means for converting motion, like endless bands, toothed wheels, rack and pinion, the crank and connecting rod, &c. They should also study the definitions of energy, work, *vis viva*, &c.; the principles of hydraulics, friction, and the strength of materials. They should, finally, specially notice the mechanical principles of

water wheels, turbines, windmills, and steam engines, &c.

7. *Motors*.—The principal sources of energy employed for driving mills are the expansive force of steam, the energy exerted by falling water, or by the *vis viva* of the same, also of air in motion, and finally, muscular energy.

a. The primary source of energy actuating a steam engine is *heat*. The non-expansive water in the steam boiler is converted into steam, that is, an *expansive* fluid, by the heat which is emitted by the burning fuel in the boiler furnace.

When this expansive fluid—the steam—has attained a certain degree of tension, higher than that of the surrounding atmosphere, it is admitted into a suitable cylinder, fitted with a movable piston, in such a manner that the space on one side of the piston is in connection with the boiler, whereas the space on the other side of the piston is in connection with the atmosphere.

The steam, therefore, exerting a greater pressure against the piston than the atmosphere, will be able to overcome the resistance of the latter, and thus move the piston forward. As soon as the piston has thus been moved through a certain distance, the connection between the boiler and cylinder is cut off, and the piston will then be moved by the expansive force of the volume of steam enclosed in the cylinder.

When the piston has arrived at the other side of the cylinder the boiler steam is admitted to that side, whereas the steam which has already expanded, and thereby performed work, is allowed to escape, so that now the piston will be pushed back to its first position. Thus a reciprocating motion is produced, which is in most cases converted into a rotating motion by means of a connecting rod and crank.

In condensing engines, the escaping steam is brought in connection with a vessel in which a low tension and low temperature are kept up. Thereby the tension of the exhaust steam is quickly reduced below that of the outer atmosphere, and thus a greater ratio of expansion can be attained.

b. The purpose of a fly-wheel in connection with a steam engine is to equalize the variations of velocity caused by the crank motion.

The pressure exerted by the steam against the piston is not fully transmitted to the crank pin in all positions of the latter. When crank and connecting rod stand in a straight line, there is no tendency to turn the crank round its centre, whereas the whole piston pressure is transmitted when crank and connecting rod are at right angles. If therefore a uniform resistance has to be overcome by the steam motor, it is necessary that the piston pressure should exceed the resistance of the driven machinery when the crank is at right angles with the connecting rod. This would cause a periodical variation of speed, and the fly-wheel is intended to minimise these variations. Its heavy rotating mass has a certain moment of inertia, that is, a tendency to maintain its velocity. When, therefore, the amount of force working on the crank is in excess of the resistance of the driven machinery (when rod and crank are at right angles), it will prevent a sudden increase of velocity. It will store up a certain amount of energy, which will become available when the force working at the crank is less than the resistance (when the crank passes over its dead points).

c. The cost of a steam motor per 280-stone sack of flour depends entirely on local circumstances. It depends, firstly, on the amount of power expended in the production of a sack of flour, that is, on its mode of manufacture; and it depends, secondly, on the cost of this necessary amount of power, that is, on the cost of fuel burned per horse power.

The average consumption of coal of first-class steam engines may be taken at 2 lbs. per hour per indicated horse power.

Supposing a mill with six pair of stones, two pair of porcelain roller mills, and the necessary dressing, purifying, and wheat cleaning machinery, to require a steam motor of 100 indicated horse power to drive it, then the average consumption of fuel in this mill would be 200 lbs. of coal per hour.

Such mill working day and night will turn out about 400 sacks of flour per week of, say, 130 hours, so that  $200 \times 130 = 26,000$  lbs. of coal would be required to manufacture 400 sacks of flour. The cost of this quantity of coal may be taken at, say, £12, and for cost of attending engine and boiler, cost of oil, &c., another £3 per week may be added; so that, in this case, the manufacture of 400 sacks of

flour would cause an expenditure of £15 for the steam motor.

Therefore the cost of the steam motor per 20-stone (280 pounds) sack of flour may be taken at 9d. per sack, if an improved low grinding system is used.

In this case it is supposed that about 55 per cent. of flour is obtained in the first run, leaving about 30 per cent. of middlings and about 12 per cent. of bran, which is finished in a bran duster. The middlings are purified, ground over one pair of middlings stones, then dressed through a centrifugal, and the tailings of the latter are passed over one of the porcelain roller mills, whereas the other porcelain roller mill treats the second quality of middlings coming from the purifier. The products from the two porcelain roller mills are dressed through a second centrifugal, and the whole flour is mixed into one straight grade. Four pair of stones are supposed to work on wheat, one on middlings and one pair is sharpening (being dressed). The first run is supposed to be dressed through two long silk reels.

Of course, not every steam motor has so low a consumption of coal as 2 lbs. per hour per horse power; it often amounts to 3, 4, and 5 lbs. per hour. In that case, of course, the cost of steam power per sack is much greater than 9d. per sack.

A greater number of breaks does not necessarily increase the cost of steam power per sack of flour. Although more machines may be employed, each of them may require less horse power; so that the total amount of power required for manufacturing an equal amount of flour may not be greater in the case of gradual reduction.

As, however, the cost of maintenance may be slightly greater in the latter case on account of a greater number of more elaborate machines, the cost of manufacturing a sack of flour may be a little greater when gradual reduction is employed, taking into account the total expenses of the mill and interest on the capital employed.

d. The immediate source of energy utilized in water motors is the gravity of the water molecules, that is, the force with which these water molecules are attracted towards the centre of the earth.

The water on entering the hydraulic motor may already possess a certain amount of *vis viva*, that is, it may already have attained a certain velocity so as to exert a certain energy by its impact, or it may act through its gravity only, or work may be performed both through the impact and gravity of the water.

e. Overshot and breast wheels are mainly actuated by the gravity of the water, whereas undershot and turbine wheels are impelled chiefly by impact.

f. Water motors are generally a much cheaper source of energy than steam motors, but they are not so reliable and constant as the latter. The very irregular supply of water sometimes causes stoppages of the mill, and often a reserved steam engine has to be provided in order to assist the water motor when the quantity of water decreases during the summer months.

In mills a very uniform velocity of the machinery is required, and therefore an easy regulation of the amount of power exerted by its motor must be possible, so as to allow for putting in work or disengaging different milling machines at certain times.

Water motors actuated mainly by gravity are less liable to variations of speed than those actuated by impact like undershot and turbine wheels. But the first have only a slow motion; they, therefore, require a great amount of powerful gearing in order to get up a suitable speed of the shafting, whereas the latter have a greater velocity, and they allow, therefore, simpler means for transmission of power.

Wind motors were formerly very extensively used for milling purposes, but they are now gradually disappearing. They are too irregular and unreliable, although they utilize a very cheap motive power. It is not advantageous to expend a large amount of capital for a mill which often is unable to work at the very time when there are favorable opportunities for doing profitable business.

Animal motors are too dear. They are only suitable for driving very small mills in out of the way localities.

8. *Machinery*.—The transmission machinery of mills is practically the same as that of other factories. Some special movements have found an application in certain milling machines, but as they are generally characteristic features of the respective milling machines they need not here be specially noticed.

Information on the elements of transmission machinery can be easily obtained from the many text-books on "Machinery and Mill-work," like those of Rankine, Fairbairn and others, which will enable the milling student to gain a clear insight into the principles of the transmission of power. This information will also greatly assist students in the Science and Art Department's Examination on "Machine Construction and Drawing."

9. *Technology*.—The sources of information on milling technology are scarce, at least so far as modern milling is concerned. Much useful material can be found in the milling press.

A rational way of studying milling technology would be to follow the three leading divisions, "*preparation*, *reduction* and *separation*."

First, all available information relating to "*preparation*" should be carefully looked up and studied in such a manner as to take special notice of the principles on which the various preparatory processes are based. In the same manner also, "*reduction*" and "*separation*" may be studied in succession, with special regard to the characteristic features of the various operations.

10. In preparing wheat for grinding, all those admixtures or parts of the grain which would have an injurious effect on the quality or color of the flour are sought to be removed.

The separation of foreign admixtures from wheat is based either on differences of *size*, of *gravity* (heaviness), or of *shape*. The separation of dust, earth, straws, sticks, lumps, stones (either smaller or larger than wheat), small seeds, etc., is based on differences of *size*. The means employed for this purpose are therefore either rotating or vibrating sieves of different fineness.

The separation of chaff, dead grains, and that of lighter or heavier admixtures of about the same size as the wheat, is based on *gravity*. In machines employed for this purpose (aspirators, separators, etc.), the grain is generally made to fall through a certain space, where it is exposed to the influence of moving air. Thereby the lighter parts are diverted further off their perpendicular line of fall than the heavier ones, and the different qualities are separated and collected by means of inclined surfaces.

Stones of about the same size as wheat are separated by passing the grain over a slightly inclined vibrating box of triangular shape, in such a manner that the wheat will pass out at the upper end (the base of the triangle), whereas the stones will move towards the lower part of the box (the point of the triangle), where they are periodically removed.

The separation of such admixtures as cockle seeds, oats, etc., (which have passed through the same meshes with the wheat, and which have nearly equal gravity), is based on the peculiar shape of these admixtures. Cockle seeds are round, and oats are longer than wheat grains. If therefore the grain is passed through a slowly revolving cylinder, the inner surface of which is indented with suitable cavities, the longer grains will slip out of these cavities sooner than the shorter or round grains, which will be lifted to a higher point. Thus these latter may be caught by an inclined surface as they fall out of the cavities, and can be collected in a separate receptacle.

These three preparatory processes may be done in separate machines, or two or three of them may be combined in one machine.

The separation of those iron particles which have passed with the wheat through the same sieves is easily accomplished by means of the attractive force of strong magnets, which will hold them back, and thus allow their removal either periodically by hand or continuously by an automatic arrangement.

Finally, the removal of the beard and all those impurities which adhere to the outer coating of the wheat, is affected by means of friction (smutters, brushes and ending stones).

Wheat may also be cleaned by a washing process, and even a separation of chaff, and of stone, sand, etc., may be achieved by washing, but a costly drying apparatus is generally necessary for this wet process.

Wheat is sized in order to adapt the working distance of the several first-reduction machines as much as possible to the various sizes of the grain.

a. The object sought to be attained in the preparation of wheat is the removal of all those admixtures and parts of the grain which would have an injurious effect upon the color and quality of the flour, as far as this can be attained without exposing the inner white part of the wheat-berry.



b. The characteristic effect of unremoved smut balls, garlic seeds, cockle seeds, and sprouted grains on the resulting flour, is discoloration of the flour and subsequent injury to its baking quality, by causing chemical changes in the condition of its gluten and starch.

c. The consequences of milling damp wheat are difficulties in dressing the meal, and that the flour resulting from damp wheat does not keep well, because it easily turns sour or becomes musty.

d. The advantages said to be gained by those who advocate heating the wheat previous to reduction are, that the moisture which is contained in the wheat is partly evaporated. The inner flour body of the wheat-berry therefore becomes more dry and friable, it will dress easier when reduced to meal, and keep better. Some advocates say that also the bran is toughened through heating, because the moisture rising from the inner parts will be absorbed by the outer bran coating. Therefore the bran is said to be less liable to pulverization during the succeeding reductions.

e. Lighter grains and similar substances rise to the surface upon a general agitation of a mixed bulk, because the attraction of the earth exerts a comparatively greater force on heavier substances than on lighter ones, or, in other words, they rise because their specific gravity is less. The general agitation gives the heavier grains an opportunity to assume a position nearer the centre of the earth, thereby causing the lighter grains to rise to the surface (float) in the same manner as wood would float on water, because its density (specific gravity) is less than that of the water.

f. The objections to washing wheat are its injurious effect upon the keeping and baking quality of the flour. If the grain is to be properly dried after washing and before grinding, a complicated drying apparatus becomes necessary, and the consumption of a certain amount of fuel increases the cost of production. If the wheat is not thoroughly dried, the same disadvantages in dressing the meal, etc., take place as those mentioned under c.

11. *Reduction.*—As mentioned under the subject of *manufacture*, the object of reduction of grain is to overcome its internal resistance, and thereby to destroy the connection of its parts. With reference to the nutritious qualities of the different parts of the grain, however, there are two distinct stages in the reduction process.

In the first stage, the chief aim of the miller is to destroy the connection between the indigestive parts (husk,) and the digestive parts (the flour-kernel,) so as to enable their subsequent separation.

In the second stage, the separated *digestive* parts are reduced to such a condition as to make them suitable for baking or cooking purposes.

The internal resistance of the digestive parts of the grain is much less than that of the indigestive parts; it is therefore possible to treat the grain in such a manner that the digestive parts are subdivided, whereas the stronger indigestive parts remain more or less intact. Thus the latter maintain a larger size, and their original flat shape; whereas the former are reduced to a smaller size, and a more granular shape. These differences of size and shape facilitate their subsequent separation.

The efficiency of reduction machines therefore depends on the proper action of their working surfaces in this respect, that is, whether these latter have such a shape and such a relative motion that they will cause the digestive parts to assume a form which is sufficiently different from that of the indigestive parts to enable their separation.

As stated under the subject of *manufacture*, the action of the working surfaces may either be *tearing*, *crushing*, *cutting* or *percussive*.

Each of these actions has a peculiar effect on the ultimate form of the various parts of the grain, and on their more or less perfect separation into digestive and indigestive products.

a. The principal problem of grinding or reduction in milling consists in the perfect severance of the pure digestive parts from the indigestive and deteriorative parts, in such a manner that the latter can be easily separated.

b. The mechanical action of millstones on wheat during its reduction may be described as a "tearing" or "rasping" action.

As the wheat falls into the eye of the stone it enters into the furrows of the runner stone, and these furrows will draw the wheat for-

ward over the undulating rough surface of the fixed bottom stone.

Each time the wheat grains, or their broken parts, are passed over the high points of the bottom stone (the lands,) it will be pressed firm between the working surfaces.

The fixed surface has a tendency to hold the parts back, while the moving surface will press it forward, and thus some particles will be torn off until the fixed surface loses its hold, when the runner stone will draw the reduced part forward to a narrower place, where a further reduction takes place in the same manner as before.

Thus, near the eye of the stone, where the surfaces are wider apart (bosom), the wheat will be broken up into several parts, and as these parts are drawn towards the skirt the white flour-kernel will be gradually rasped off the husk, because the resistance of the latter against such a tearing action is greater than that of the softer flour-kernel.

c. Heat is developed in millstones, because the mechanical work which is exerted by them in overcoming the internal resistance of the wheat, is converted into heat. A certain amount of heat is also produced by the friction of the wheat on its broken parts with the working surfaces, or by the friction of the broken parts with each other, and in a very slight degree by the friction of the air with the working surfaces and the wheat.

d. A millstone is in "standing balance" when its working surface assumes a perfectly horizontal position, while the stone is "standing." If it assumes this position while "running" the stone is said to be in "running balance."

e. Any weight which is embedded in a balanced millstone, and which can be adjusted in a vertical direction (parallel to the rotating axis) will affect the "running balance" of the stone, but not its "standing balance." The latter is affected by weights which are adjustable in a horizontal direction.

f. The effect of a displacement of a running stone in running balance, when its point of suspension is at its centre of gravity, is that it will be able to change its horizontal position, without losing its *indifferent equilibrium*. The runner-stone will have a tendency to assume a swinging motion.

If its point of suspension is *above* its centre of gravity, the face of the running-stone will have a strong tendency to regain its horizontal position, after a displacement has occurred, in order to regain its *stable equilibrium*.

If the point of suspension is *below* the centre of gravity, a displacement will cause the running-stone to lose its *unstable equilibrium*, the face of the stone will assume an *inclined position*, and the latter will have no tendency to regain its balance.

g. The effect of *more* draft in the furrows is that the feed will pass *quicker* over the grinding surface. The *less* draft there is in the furrows, the *longer* will the feed remain between the grinding surfaces.

h. The forces acting on a particle of feed during its process through the stones are—

1. The force with which the top runner endeavors to move the feed particle over the bed-stone in a direction perpendicular to the furrows of the top-stone.

2. The force with which the fixed bed-stone endeavors to resist its movement in a direction perpendicular to its own furrows.

3. The resultant of these two forces, which endeavors to draw the feed particle towards the circumference of the stones.

In the case of bottom runners there is besides a certain centrifugal force which tends to draw the feed particle towards the skirt, and in both cases the air, which is impelled by the centrifugal force of the running stone towards the skirt, has an accelerating effect on the forward movement of the feed.

i. The principal difference between the mechanical action of smooth rollers and millstones is that the first has a crushing effect and the latter a tearing effect. The *relative* speed of smooth rollers is very small, and their surfaces do not have a rasping effect on the feed. The *relative* speed of stones is great, their surfaces are rough, and they cannot avoid reducing the husk to some extent. The contact of the feed with rolls is of very short duration, whereas the contact of the feed with the stone surfaces lasts much longer.

j. The greater the natural roughness of rollers and the greater their *relative* speed (maximum when one roll is fixed, minimum when both rolls have same speed,) the more does their action upon the feed approximate to that of millstones.

k. The advantages claimed for porcelain rollers are their fine natural sharpness, their

porosity, their non-liability to rust. But they do not have so great a resistance against wear as have the chilled iron rollers, which are most durable. It is claimed for the latter that when they have been for some time in use, their surface requires a certain natural dullness, which enables them to act as well as the porcelain rollers. For some purposes, the treatment of husky middlings chilled iron rollers are preferable.

l. The advantages claimed for rollers are—1st, that they do not pulverize the bran, and 2nd, that they enable a removal of the crease, dirt, and the germ, without deteriorating the bulk of the flour; 3rd, they therefore produce a purer, more digestive, and stronger flour than stones.

The advantages claimed for stones are—1st, that they will finish the reduction in one operation; 2nd, that they do not compress the feed, and therefore produce a lively granular flour; 3rd, that stones are simpler machines than roller mills, and require less attention than the latter.

12. *Separation.*—Separation is one of the most delicate and most important processes in milling. The differences of size and density of the products of the various reductions are never so distinct that a *perfect* separation of the digestive from the indigestive portions can be achieved.

Although dressing machines separate chiefly according to *size*, their results are also influenced by *density*, because the lighter particles have the tendency to float, and they are thus, in some cases, carried over meshes which are large enough to admit their passage.

Purifiers also, although separating mainly according to density, are greatly assisted by sieves, in so far as thereby the influence of air in motion, which has either a deviating or floating tendency, may be adjusted according to each size.

Up to the present *air in motion* is used in all purifiers, but it may be possible to dispense with it; indeed, it would be advantageous to separate the heavier digestive parts from the lighter indigestive parts, without subjecting them to the influence of air in motion, which causes the loss of many nutritious flour particles.

a. As the meal comes from stones or rollers it is desirable to separate it into three different products, namely—(1) the *finished digestive products*; (2) the *finished indigestible products*; and (3) the *unfinished products*. Thus the meal from stones is divided into (1) flour, (2) bran, and (3) middlings. The latter, being an unfinished product, have generally to undergo a further separation, according to size and density, before they are subjected to a further reduction. The meal from rollers does not in all cases contain the indigestive products in their finished state. The desirable object of separation in their case is only two-fold, namely, the separation of the finished product (flour) from the unfinished products. Generally, these latter products are graded according to size in the same machine which effects the separation of the flour. Thus the meal coming from *break rollers* is divided into flour, one or more grades of middlings, and the larger broken particles of the wheat (generally called "breaks" or "granulations.")

b. Separation in modern processes differs from the simple operation following low grinding chiefly in respect of the unfinished products. Very few, if any, unfinished products are produced by low grinding, whereas in modern processes the many unfinished products require a very careful and elaborate treatment.

In low grinding the separation of the indigestive from the digestive products is based nearly exclusively on *differences of size*.

In modern processes the separation of these two products is based *also* on *density*.

c. The principle of action of middlings purifiers is based on the different density of equal-sized middlings. In some purifiers the middlings are passed over a vibrating sieve of various degrees of fineness. Air in motion is caused to pass through this vibratory sieve and through the agitated middlings, so that the lighter husky middlings will rise to the top, whereas the heavier whiter middlings will fall through the sieve as soon as the meshes become large enough to allow their passage. The *agitation in bulk* which occurs, on vibratory sieves greatly assists in causing the lighter husky middlings to float, as explained in answer to question e under the subject of *preparation*. In other purifiers the middlings are first sized by means of sieves (either rotary or flat vibratory) into various grades, and each of these grades is caused to fall through a stream of air in mo-

tion in such a manner that the lighter husky particles will be diverted further from their perpendicular line of fall than the heavier whiter middlings. By means of numerous inclined planes the different qualities are divided and collected into different receptacles. In a third kind of purifier the middlings are fed on a quick revolving plane surface, so that they are subjected to centrifugal force. The heavier middlings are thus thrown out further than the lighter husky ones, and they thus fall into separate receptacles. A stream of air passing through the falling middlings tends to draw the lighter middlings still further towards the centre line of the rotary disc.

d. Separation, based on size, can take place under the following mechanical conditions:—1. When the unsized product (wheat, meal, middlings, &c.) is made to pass over *inclined rotary sieves*, so that the influence of gravity will cause the grains, &c., to roll in the sieve towards its lowest point until they can pass through proper meshes. 2. If the product is passed over *inclined flat vibratory sieves*; or, 3, if the products are conveyed over *horizontal sieves* in such a manner that they are at the same time agitated. Either the *sieve* or the *product* must be set in motion, or *both* may be set in motion at the same time as in centrifugal sifters.

13. *Chemical Composition and Physical Properties of the Wheat Berry.*—Milling chemistry has to answer four main questions:—1. Which are the characteristics of the different chemical constituents of cereals? 2. Which are their quantities? 3. What is their nutritive value? And, 4. In what condition are the digestive parts of cereals most easily assimilated?

The results of chemical investigations relating to these four questions, after the have been substantiated by scientific authorities, must be carefully studied by millers in order to enable them to impart to their manufactured products the highest possible value. At the same time, the study of the physical properties of cereals is of the highest importance to millers, in order to find out the best treatment which will cause the various parts of cereals to assume such differences of form that a perfect separation of the indigestive from the digestive parts can be easily accomplished.

a. The wheat berry consists of three main parts—1, the inner white flour kernel; 2, the germ; 3, its hull or husk. The flour kernel or "endosperm" consists of a great number of polygonal cells which are filled with starch-grains and gluten. The central cells contain less gluten than its outer cells. It is enclosed by the so-called embryous membrane, which consists of a single layer of irregular cubic cells. The skin of these cells is much thicker than that of the flour cells. The exact nature of the contents of these cells has not yet been finally ascertained, but it is known that they are mostly albuminoids, although it is uncertain whether they are digestive. The next following membranes, which combined form the tough brown husk of the wheat berry, are the "testa" or "episperm," the "endocarp," the "epicarp," and lastly, the "epidermis." The latter consists of longitudinal cells, whereas the cells of the endocarp are arranged crosswise. The five membranes of the wheat berry enter its centre in the crease and these divide it in two lobes. The epidermis carries at the pointed end of the berry a number of hairs—the so-called beard. At the other end of the berry, opposite the crease, is situated the germ, a small, yellow oleaginous body, which contains the elements of the future wheat plant. The germ is enclosed by the four outer membranes, surrounded by the embryous membrane, and is separated from the endosperm by a separate cellular tissue.

b. The flour kernel or endosperm is the only portion of the wheat berry which it is desirable to retain in the best flour. The embryous membrane, as well as the germ, may have a certain nutritive value, but their strong fermentative tendency would deteriorate the nutritive value and the color of the flour if they were retained.

c. The organic chemical compounds to which the different structural portions of the wheat berry owe their properties, are starch, gluten, and other albuminoids, water, cellulose, fatty matters, salts, &c.

d. The *endosperm* consists chiefly of starch, gluten, and water. The *germ* consists of starch, albuminoids, fatty matters and water. It also contains minute quantities of sulphur and phosphorus.

The *embryous membrane* consist chiefly of cellular tissue and albuminoids. Its most remarkable albuminous constituent is *coenzyme*, a very active ferment.



# THE REASON WHY!

**BECAUSE,** *By its Unprecedented and General Adoption by the Progressive Millers of this and other Countries,*

## :: THE :: STEVENS :: ROLLER :: MILL

*has shown itself to be superior to any other in point of*

**Greater Capacity, Perfection, Simplicity and Solidity of Construction; and the Flour Produced by it Finer in Quality, Purer in Color, Stronger, and holding from**

**25 to 40 Per Cent. More Gluten.**

*We undertake the complete building of Mills of any desired capacity.*

*We undertake the alteration of old Mills to the Roller Process, using such of the old machinery as can be adapted for the purpose, thus bringing the cost down to the lowest notch.*

*We make estimates of the cost of any desired work, constantly keeping in view the results of an experience of **NEARLY HALF A CENTURY**, that possessed by no other Mill Furnishing Establishment on the*

## WESTERN CONTINENT.

*Correspondence Solicited. Those about to purchase Roller Mills should send for our recently issued catalogue.*

**The John T. Noye Manufacturing Co.,**

**BUFFALO, N. Y.**

[Please mention the UNITED STATES MILLER when you write to us.]



The outer coating of the wheat berry chiefly consists of cellular tissue, containing several mineral constituents, like lime, magnesia, kali, (potassium) natron, (sodium) phosphoric acid, &c. All parts of the wheat berry contain water.

e. The outer coating having a strong fibrous structure, and being comparatively tough, it is not so easily reduced as the more granular, soft kernel. It is therefore possible to subject the wheat berry to a treatment which will reduce the endosperm to a granular powder, while its outer coating still remains more or less intact, and maintains such a shape and size that it can be separated by means of sieves or air in motion.

The oleaginous germ being very tough yielding it can be flattened out into cake-form between smooth rollers without falling into pieces, whereas the granular endosperm being subjected to the same crushing pressure will be pulverized, and thus the flattened germ may be separated from the pulverized endosperm.

The outer coating is moreover specifically lighter than the endosperm. If, therefore, the reduced particles of both are mixed up, but of the same size, they may nevertheless be separated by the influence of air in motion.

f. Hard wheats contain comparatively more gluten, less water, and less starch than soft wheats. This difference is chiefly due to influences of climate and soil, but also to the influence of manure.

g. Sprouting alters the chemical composition of wheat by causing a gradual liquefaction of the endosperm, and its absorption by the growing wheat plant. During this liquefaction the gluten is dissolved, and the starch converted into dextrin and sugar.

h. Those who advocate the use of whole meal bread contend that the embryonic membrane is of too great nutritive value to be separated from the flour with the bran. They believe that the bran is rich in nitrogenous and mineral, that is, muscle and bone-forming substances, and that it should, therefore, as far as possible, be retained in our staff of life.

Those who oppose the use of whole-meal bread contend that the digestive organs of the human body are unsuitable for digesting the nitrogenous and mineral substances contained in the bran. They hold it to be more advantageous to convert the bran first into beef, mutton, pork, etc., by feeding the respective domestic animals with a food which is much better digested by their far stronger digestive organs, than to overload the human stomach with a food from which it cannot derive an adequate benefit.

14. Explosions.—The subject of explosions in flour mills is daily becoming of greater consequence to millers.

The introduction of a great number of modern machines which is now taking place in mills all over the world, has undoubtedly (however necessary they may be for the production of a better flour) the tendency to increase the liability of modern mills to explosion. It is very often contended that iron roller mills are far less liable to cause an explosion than millstones. This may be true so far as the individual risk of both machines are concerned, but if the whole outfit of a modern gradual reduction mill is compared with that of an ordinary low-grinding mill, there can be scarcely any doubt that the first is more liable to explosion than the latter.

Very few mill explosions have been originated through sparks issuing from the stones by the accidental passage of flints with the wheat. Innumerable flints and other spark-producing materials pass daily through millstones in those mills where much foreign wheats are ground. There are very many London mills grinding large quantities of Bombay and other similar wheats. In scarcely any of these mills are special precautions taken to effect a perfect separation of those stones which are of the same size as the wheat. It is therefore certain that in these mills many flints pass through the stones, and that most probably sparks do arise; but, nevertheless, one never hears of an explosion having occurred in these mills while the feed is on.

And this is easily explained from the fact that flour *per se* is not explosive; it requires to be diffused in dry air in the form of flour dust, in order to make an explosion possible. Explosion is nothing but a sudden combustion, and such a sudden combustion cannot take place unless each inflammable dust or flour particle is surrounded with a sufficient amount of dry air to secure its quick combustion. Each dust or flour particle must

besides be sufficiently near the other particles to cause them to ignite each other. A thorough diffusion of the dust in a certain proportion in dry atmospheric air is the condition which makes mill explosions possible. In the same manner it is a well-known fact that gas is not in itself explosive; it requires to be thoroughly mixed, in a certain proportion, with air, in order to become explosive. If too much air is in the mixture, or too much gas, no general explosion would occur. Atmospheric moisture affects the thoroughness of the diffusion, in so far as it causes the dust particles to become heavier and to settle, so that they will not float in the air. This is the reason why explosions are less violent, if they do occur, during wet weather.

Therefore, even if a spark does occur between stones while the feed is on, this does not generally cause an explosion. There may be a small amount of diffused flour dust at the very place where the spark arises, and a few dust particles may ignite, but as they are surrounded by the steam arising from the meal, and as they lack a sufficient quantity of air to continue their combustion, they are immediately extinguished without taking effect. If, however, the stones should run empty, it might occur that air containing diffused flour dust passes through the stones, and if at that moment a spark should ignite the mixture an explosion might occur, and might be communicated to the stive room. Such explosions are, however, of rare occurrence, probably because as soon as the feed ceases, the air passing through the stones does not contain sufficient diffused flour dust to make it explosive. Most mill explosions are caused by partial explosions of diffused mill dust in any part of the mill. It may be smut dust in the wheat cleaning department, or stive in the stive room, or flour dust in another part of the mill. One partial explosion will at once cause a violent shock throughout the mill, much more dust will be caused to fall from the beams, or from the ceilings of the mill, and a second explosion will take place, because a fresh diffusion of inflammable material has been prepared, which may be ignited by the first explosion, or by an open light burning in that part of the mill. This is most conclusively proved by the successive explosion of the large mills in Minneapolis, in May, 1878, where the explosion of one mill caused an immediate explosion in another mill which was many yards distant. It is improbable that the flame was carried through this distance; it is far more likely that the violent concussion of the air by the first explosion, caused in the neighbouring mill a diffusion of flour dust, which was subsequently ignited by the burning lights of the mill. The explosion risk of a mill does not, therefore, depend so much on the occurrence of sparks, as in stone mills it is influenced in a far greater degree by its greater or smaller tendency to create diffused flour dust; and this is the reason why, I believe, that at present many roller mills are more liable to explode than stone mills. The far greater number of quick-moving machines, such as centrifugals, purifiers, and roller mills, must each of them cause a corresponding diffusion of flour dust, which will lodge on the top of the machines, on the beams, and in the crevices of the walls, and they are, therefore, undoubtedly a greater source of danger than the few slow-moving reels in low-grinding mills. I do not say this because I depreciate gradual reduction, on the contrary, I am convinced of its superiority, but I am, nevertheless, obliged to admit their greater risk. No doubt there are means to reduce, to a great extent, the diffusion of flour dust in modern mills, and millers who are alive to the advantages of gradual reduction will not forget to adopt such precautions as the employment of efficient dust-catchers, the strict exclusion of open lights in the mill, smooth walls and smooth ceilings, which do not allow an accumulation of dust.

There is one other point of great importance with regard to mill explosions, that is, the influence of the moisture of the atmosphere on diffused flour dust. Professor Tobin, in an address delivered to the "Fire Underwriters of the North-West of America," has very clearly explained the great influence of the atmospheric moisture on the combustibility of flour dust. He had carefully noted the percentage of humidity in various parts of a Kentucky mill, and he observed that whereas the moisture of the grinding and bolting flour was much greater than that of the outer atmosphere, that of the stive room was much less. He also showed that whereas in a dry atmosphere a violent explosion of flour dust would take place, if sufficient moisture was contained in the air, that the com-

bustion of the flour dust would be greatly retarded thereby. He therefore recommended the periodical charging of dust rooms with vapor or steam, and the use of hygrometers in mills, so as to have a full knowledge of the state of their atmosphere; and, indeed, it is very advisable for millers to keep their stive rooms and smut rooms sufficiently moist by artificial means, and thereby to reduce, if not to exclude, all risks of explosions. Such moisture would not affect the value of the stive or the smut dust, nor would it influence the efficiency of the wheat cleaning department, or the quality of the resulting flour.

a. The inflammability of the flour dust is due to the presence of carbon and hydrogen in the same. Both are burned during combustion with the aid of oxygen derived from the surrounding atmospheric air.

b. During combustion the carbon combines with the oxygen, and is converted into carbonic acid gas; whereas the hydrogen combines with the oxygen, and is converted into water in the form of steam.

c. The combustion of flour dust causes an explosion because the burnt dust particles are suddenly converted into gas under a great evolution of heat, so that they, and the air which allowed their sudden combustion, expand considerably, and require a far greater amount of space, under the same pressure, than they occupied before.

d. The measure of intensity of a flour dust explosion under the most favorably conditions depends on the proportion between the amount of space required by the diffused flour dust before the explosion, and the amount of space required by the products after the explosion under the same pressure. The intensity of the explosion is measured by the time during which the sudden expansion of the explosive mixture takes place. This time is greatly influenced by the percentage of moisture contained in the explosive mixture. The less moisture the more violent the explosion.

e. Explosions are more frequent now than formerly, because modern mills contain a far greater number of quick-moving machines than the old mills, while each of them causes a corresponding diffusion of flour dust, and thus tend to produce an explosive mixture of the inflammable dust with the necessary atmospheric air.

(To be continued.)

#### TARIFF LOGIC.

Samuel Peebles is a farmer in Iowa who thinks as he sows, and reads when he rests. In his ruminations upon the tariff question he has settled down to the following conclusions:

A tariff for revenue only, if it means anything, implies the following effect:

A general reduction of the existing duties on imports.

To be followed by a larger importation of foreign-made fabrics.

To be followed by a falling of in the demand for those made at home.

To be followed by the closing of American workshops.

To be followed by a relatively greater number of men engaged in agriculture.

To be followed by an increase in the supply of farm products, with no corresponding increase in the demand.

To be followed by a reduction of the farmer's profits.

I, for one, do not like it.

Perhaps some robust philosopher who raises theories instead of corn will rise in his place, on the call of States, and prove that Samuel Peebles doesn't know what he is talking about. Up to the present time, however, Mr. Peebles appears to have a clear majority in his favor.—Philadelphia Press.

ONE difficulty with tyros in the use of machinery is the wasting of oil by its too profuse use. It often happens that a bearing will heat when supplied with too much oil, that will run cool when supplied with the proper quantity. The reason is that when the lubricator is partly worn it becomes sticky; it resists removal; it remains tenaciously between the shaft and its bearings; whereas too much of it, usually thin and limpid, serves to "wash the bearing," and let the parts into closer contact.

To make rubber packing air and steam tight the packing is brushed over with a solution of powdered rosin in ten times its weight of stronger water of ammonia. At first, this solution is a viscid, sticky mass, which, however, after three or four weeks, becomes thinner and fit for use. The liquid adheres easily to rubber, as well as to wood and metal. It hardens as soon as the ammonia evaporates, and becomes perfectly impervious to liquids.

#### GARDEN CITY

### 1st Break Machine

—AND—

### BRUSH SCRAPER

—WITH—

#### ASPIRATOR.

#### To Millers Operating Buhr Mills.

We guarantee to improve the grade of your flour by the use of our 1st BREAK MACHINE and BRUSH SCALPER. Putting in these machines will necessitate no other changes in the present arrangements in your mills.

#### To Millers Operating Roller Mills.

By the use of our 1st BREAK MACHINE and BRUSH SCALPER you can positively remove all seam impurities and germs after the first break, thereby obtaining better results.

Write for descriptive catalogue and prices.

### PRICES REDUCED!

#### IMPROVED GARDEN CITY

### Middlings Purifier

—WITH—

#### Traveling Cloth Cleaners.

Our improved Purifier has every device requisite to make it perfect, and every one in use is giving the greatest satisfaction to the users. The Cloth Cleaners are guaranteed to clean the cloth better than is done on any other purifier.

Over 4000 Garden City Purifiers in use, nearly 800 of which are the Improved Machine.

The Best and now the Cheapest. Write for circulars and price list.

We are agents for the

#### BODMER

### BOLTING CLOTH

Which has long been acknowledged as the best made, and which has lately been further improved, making it now beyond competition. We make it up in the best style at short notice. Send for prices and samples.

Garden City Mill Furnishing Company,

CHICAGO, ILL.

(Mention this paper when you write to us.)




1000

One Thousand Machines in Successful Operation.


# Prinz Patent Dust Collector

THE SIMPLEST.



Prinz Pat. Improved Dust Collector.

The Most Reliable.



Prinz Pat. Improved Dust Collector with Fan Attachment.

THE BEST.

## AN ESTABLISHED SUCCESS.

Machines in steady operation for over two years. Selling [at the rate of 200 a month. **FULLY GUARANTEED.** Manufactured exclusively under the **PRINZ PATENTS.** Also licensed under all patents now or hereafter owned and controlled by the combined licensees. Geo. T. Smith Middlings Purifier Co. of Jackson, Mich.; Kirk & Fender, Minneapolis, Minn., and Samuel L. Bean of Washington, D. C.

Prinz Patents.

Nos.

272,473  
272,474

### SEE SPECIAL NOTICE.

License under all patents furnished purchasers. Send for circulars and other references. All correspondence promptly answered. You will save **time, money and labor** by using this machine.

*Every Miller Should Have It.*

Remember 'it is the **BEST**, Note testimonials, samples of hundreds received.

### TESTIMONIALS.

MINNEAPOLIS, MINN., April 2, 1883.

Milwaukee Dust Collector Mfg. Co.

GENTLEMEN: In reply to your request for our opinion of the merits of your dust collector, will say, we are using them on twenty purifiers and they ventilate perfectly and require no attention. We consider it the best dust collector in the market.

Yours truly,

J. A. CHRISTIAN &amp; CO.

MINNEAPOLIS, MINN., April 2, 1883.

Milwaukee Dust Collector Mfg. Co.

GENTLEMEN: After a two months' trial of your dust collector we feel prepared to bear testimony to the value of your machine, and will say without exception it is one of the most satisfactory devices we have ever placed in our mill as a purifier and roller exhaust.

Yours truly,

CROCKER, FISK &amp; CO.

MINNEAPOLIS, MINN., April 2, 1883.

Milwaukee Dust Collector Mfg. Co.

GENTLEMEN: Yours of 30th ult. at hand. We say in reply, that we have six of your Prinz dust collectors in our mill, and they are giving best of satisfaction, doing all that you claim for them. We consider them the best dust collector in the market.

Yours truly,

D. R. BARBER &amp; SON.

ROCHESTER, N. Y., April 17, 1883.

Milwaukee Dust Collector Mfg. Co.

GENTLEMEN: In reply to yours of the 14th inst., would say that the Prinz dust collectors in use in our A and B mills are giving excellent satisfaction, need very little attention, and do their work remarkably well.

Yours very truly,

MOSELY &amp; MOTLEY.

St. Louis, Mo., March 7, 1883.

Milwaukee Dust Collector Mfg. Co., Milwaukee,

GENTLEMEN: Yours of date Feb. 24 received, making inquiry as to how your dust collectors are working, would say they are giving us entire satisfaction. We are running twenty of them. \* \* \* They give us no trouble.

Yours truly,

KEHLOR MILLING CO.

JAMESTOWN, N. Y., April 27, 1883.

Milwaukee Dust Collector Mfg. Co.

GENTLEMEN: I have the dust collector that you shipped to D. H. Grandin, of this city, at work, and will tell you in this just what I think of it. I consider it the most perfect working machine that I ever saw; it has dispensed with the dirty dust room entirely. It takes the dust from 4 purifiers completely, and from 9 sets of single roller mills to a perfection. I cannot say enough in its praise, and feel sure that it has a future unequalled by any mill improvement of the age. I remain very respectfully yours,

J. PHETTIPLACE.

**MILWAUKEE DUST COLLECTOR MFG. CO., Milwaukee, Wis., U. S. A.**

#### CONSOLIDATED Licensees Patents,

Nos.

63,325  
125,518  
149,434  
171,973  
207,585  
211,033  
228,023  
231,376  
235,197  
239,755  
248,984  
250,813  
251,120  
251,121  
258,875  
258,876  
258,878  
259,872  
259,873



## AMERICAN GRAIN TRADE FROM 1789.

To the Editor of BRADSTREET'S:

SIR—As supplementing my letter of April 21, giving a historical sketch of the British corn trade, I append a history of the grain trade of the United States from the adoption of the Constitution of 1789 to the present time.

The United States have always been, as they were in their colonial time, an exporting country of grain. The only marked exception to this was in 1836, when considerable quantities of wheat were imported. The small importation of 1857 and 1866 are too trivial to take into account. The normal position of this country, whether our crops are abundant or deficient, is that of an exporter of grain. So generally is this fact known that it has been remarked for many years by sea captains that one can purchase a barrel of American flour and pork at any port in the world.

It may be said England is the largest importer of grain and the United States is the largest exporting country. Within the last ten years the United States has completely outranked all other countries, including Russia. Previously to 1873 the latter had been at the head of the list.

Our power of producing grain has increased in a greater ratio than the growth of population during the last forty years. Our exports have been during the years ending June 30 as follows:

## EXPORTS BREADSTUFFS.

Annual average of	Wheat and flour in bushels.	Indian corn in bushels.	Total grain in bushels.	Bus's flour in cap.
5 yrs ending 1845	6,864,009	1,827,571	8,691,640	.48
5 yrs ending 1850	14,721,773	11,258,131	25,979,904	1.28
5 yrs ending 1855	16,438,919	5,914,495	22,353,414	.89
5 yrs ending 1860	20,517,392	6,810,521	27,327,913	1.05
5 yrs ending 1865	40,691,314	10,341,591	51,032,905	1.52
5 yrs ending 1870	27,860,888	10,682,672	38,543,560	1.00
3 yrs ending 1873	47,528,193	28,852,719	76,380,912	1.89
Year 1874	91,510,398	35,985,831	127,496,229	3.08
Year 1875	72,912,817	30,025,036	102,937,853	2.39
Year 1876	74,750,682	50,910,532	125,661,214	2.84
Year 1877	57,048,936	72,652,611	129,701,547	2.81
Year 1878	93,189,296	87,161,000	180,350,296	3.77
Year 1879	148,000,000	80,000,000	228,000,000	4.44
Year 1880	183,309,890	106,000,000	289,309,890	5.78
Year 1881	184,000,000	91,000,000	275,000,000	5.38
Year 1882	118,000,000	43,000,000	161,000,000	3.04

Nothing in the history of the commerce of nations exceeds this enormous increase of exports of breadstuffs during the last forty-two years. It is equal to an aggregate increase of 3,200 per cent., or, when the shipments are compared with the population, it is shown to have increased from forty-eight one-hundredths bushels per capita or 1,104 per cent. The causes for this wonderful development of the export of breadstuffs are not difficult to find. The wonderful improvements made in this country in agricultural implements, in the plow, the cradle, etc., early in the century astonished Europe, and enabled this country to increase the production of grain. These improvements were followed by the opening of the Erie canal, which joined the waters of the ocean with thousands of miles of our great inland lakes. Thus the cost of production was lessened by labor-saving machines, and the cost of distribution was decreased by extended and cheapened waterways.

Greatly as the above increased the productive and distributive power of this country, it was a mere beginning. The steam railways which were begun about 1830 really did not make much progress until after 1850. Now they are extended over an immense extent of country, and carry the produce of the farmer to the seaboard summer and winter, unlike canal navigation which is closed five months in the year. To this must be added the improved reaper, the steam thrasher and binder, and lastly the great improvements which have lessened ocean freights, the introduction of ocean steamers using the double-acting steam-engine. To all of these causes must be added the prosperity of England, our best customer, for the British empire is the purchaser of two-thirds of all our exports.

The following will show the increase of crops of wheat and Indian corn:

	Wheat.	Indian corn.
Census 1840, crop 1839	84,823,272	377,531,875
Census 1850, crop 1849	100,485,944	592,071,104
Census 1860, crop 1859	173,104,924	838,792,740
Census 1870, crop 1869	260,146,900	874,320,000
Census 1880, crop 1879	448,756,630	1,754,861,535
Estimated crop of 1882	508,000,000	1,624,847,800

The increase of the crops of wheat and Indian corn since 1839 was 501 per cent. of the former, and 330 per cent. of the latter. The population has increased in a less degree since 1840, or about 212 per cent. This clearly accounts for the extraordinary exporting power of the country in cereals.

Here let us for a moment stop. Facts like these invite a consideration of the causes that have led to so great an increase in the cultivation of cereals during the last decade. Admitting that the leading interest of the country is agriculture, yet it must be allowed that our commercial and manufacturing interests are also of great importance. The latter

pursuits being of a more speculative nature, apt to suit an enterprising and speculative people better than agriculture, yet it happens that in speculative times that the latter is neglected for the former. This has undoubtedly happened three times within fifty years—in 1837, 1857 and in 1873—and it may happen again when similar causes again appear. These causes are speculation and abuse of credit. In 1837 it was principally the abuse of credit in the shape of paper money; in 1857 it was bank discounts, or making credits in bankers' ledgers, falsely called deposits; in 1873 it was the increase of government and bank paper money beyond the amount of metallic money that would have been in circulation if government or bank notes had not been printed.

The sure sign of, and naturally one of the causes of agriculture being neglected, is the price of labor being above what the farmer can afford to pay his employees. The following table illustrative of this shows the price of white wheat in New York May 1, day wages of labor in gold, and its equivalent in bushels of wheat:

	White wheat per bush.	Wages common laborer, daily, gold.	Equivalent wheat for day's work.	Produce of acres of wheat.*
Annual average of 9 years ending May 1, '68	\$1.61	\$0.96	0.598	12.54
7 years ending May 1, '75	1.48	1.63	1.117	22.64
4 years ending May 1, '79	1.51	0.97	0.676	18.69
2 years ending May 1, '81	1.22	1.10	0.897	18.65
Year ending April 1, '83	1.25	1.50	1.200	24.00

\*Average yield of fifteen bushels per acre required to pay one year's wages of a laborer.

Taking fifteen bushels of wheat as the yield in an average of years of one acre of land and computing the wages of labor in wheat, it made the farmer, at an average during seven years ending 1875, sell the produce of 83 per cent. more land to pay a year's wages of a common laborer than it did in the nine years ending 1868. It will be observed that the total of wages estimated in wheat for the period of four years ending 1879—the year of resumption of specie payments—declined nearly to that of the period ending in 1868. It will also be noticed that although agricultural labor is partly paid in board, that after due allowance for the latter the above quotations for labor are a fair average of what was paid in the State of New York.

I will further state that, like the period ending in 1837 the high wages paid by agriculturists from 1868 to 1873, (which continued to 1875,) were the fruits of the abuse of credit and general inflation, causing the diversion of too much labor and capital from agriculture to speculative industries and railways—and that this was the sole cause of the commercial, manufacturing and railway collapse of 1873. It was the low price of labor and the numbers that were unemployed that forced the latter back to the cultivation of the soil during the six years ending 1879, together with a succession of good crops and with good demand for our cereals, owing to four deficient harvests in Europe. This caused the immense surplus of cereals and provisions to be taken at high prices. In other words, redundant labor from 1873 to 1879 caused the area of cultivation to extend at an unprecedented rate, which with the causes already stated, influenced foreign exchanges in our favor. This enabled the country to retain the produce of its mines of precious metals for six years, say to the amount of \$200,000,000, and import a like amount of specie from Europe. There cannot be a doubt that our agricultural progress during the last decade repeated the story told just after 1837, that is, restored the prosperity of the country.

The question to be considered at present is whether we are not traveling the same road over again as during the five years preceding 1873. The fact that farm labor is high is evident, it requiring the produce of twenty-four acres of wheat to pay a common laborer for one year. This should cause people to reflect whether speculation in city buildings and railways is not drawing off too many hands from the land, as in 1837 and 1873. It is to be hoped that this rise in wages is due to material causes, such as good crops and labor-saving machines. The country is free of a redundant currency at present. Our paper money for three years has been stationary, thanks to the credit of the government enabling it to reduce the interest on its bonds, and making it unprofitable for banks to issue paper money against them. The issue of \$75,000,000 of silver certificates against silver held by the government is only inflation to the extent that that silver is overvalued as coin 15 per cent., or about \$11,000,000. I consider the silver bill, compelling the executive to coin not less than \$2,000,000 of silver per month, dangerous, and sure, if long persisted in, to land us on a single silver standard. It is a stupid bill, for if it had never been enacted we would have shipped the \$135,000,000

of silver as merchandise, and exchanges would have been in our favor to a like amount (less the overvaluation of silver as coin), and instead of that amount of silver dollars, we would have to-day about \$115,000,000 more gold. It is therefore to be hoped that bankers and others will check speculation, and prevent too much capital being transferred from movable to permanent investments, and thereby prevent labor from being transferred unwisely from agriculture to a more speculative employment.

With respect to the price of wheat, I find for the twenty-five years ending 1845 the average price of wheat was about \$1 per bushel. During this period the prohibitory corn laws of the United Kingdom of Great Britain and Ireland were in full force. During the thirty years ending 1875 the average price of wheat for export was \$1.33 per bushel. This advance of one-third in the value of wheat was undoubtedly owing primarily to the freedom of the corn trade inaugurated in England by Sir Robert Peel in 1846. When we consider the great improvement in labor-saving agricultural implements and cheapening of freights by the competition and extension of railways during this period, the great prosperity of our farmers is easily accounted for. The average price of wheat for seven years ending June 30, 1882, was about \$1.19 per bushel. This decrease in price of 14c. per bushel is to be attributed largely to the heavy competition in freights between the railways and the lake and canal navigation. This reduced the expense of distribution and forwarding from the west to the seaboard nearly one-half.

As far as Indian corn is concerned, the average price at which it was exported for twenty-five years ending 1845 was 60¢ per bushel, and for thirty years ending 1875 about 75c. per bushel. The freedom of the grain trade in England not only contributed to the increase in the value of Indian corn, but the great reduction in England in the import duties on provisions had an important effect, as it improved the value of salt and fresh American meats, which is Indian corn in a concentrated state. The export value of Indian corn for seven years ending June 30, 1882, was about 60c.; this reduction, as stated of wheat, was due to lower freights.

The principal reasons for the larger rewards to labor and capital in the United States over those realized in Europe are, in the main, owing to the surplus of fertile land, where none but that which is first-rate is cultivated. Land may be considered as a gift by our Creator of so many natural machines for production of food, but land being of different degrees of fertility, may be classed as instruments of first, second, third and fourth rate power of production. The nations therefore which have a surplus of land will only cultivate the best, while nations densely populated will be compelled to use inferior lands. As a natural result, the wages of labor and profits of capital will be less among the latter nations. Hence in this country, land being redundant, is cheap, and labor dear, while land being limited in proportion to the population in Europe, is dear, and the wages of labor and the profits of capital low. To deny this would be to deny that labor and capital have continually gravitated from Europe to North America for about three hundred years.

It is therefore quite clear that it is our rich inheritance of a superabundance of fertile lands which causes labor to be remunerated better here than in Europe, and it is erroneous to think, as many do, that our prosperity is to be attributed to a high tariff. On the contrary, I think the latter acts in many instances as a bounty to transfer capital and labor from greater to less productive industries. I will therefore conclude by stating that if it is desired that our farmers shall sell their surplus to Europe to advantage, the duties on the goods we import from Europe must be modified, so as to better enable foreigners to purchase our cereals in return.

HENRY KEMP.

41 S. William St., New York, May 3.

THE ADVANTAGES OF TECHNICAL SCHOOLS.—The *United States Economist* opines that the active interest now being taken in England in developing technical education, must have an important bearing upon the future of manufactures elsewhere. This is a subject which should commend itself strongly to the attention and support of our people, because it will not do to be late in taking advantage of the leading element in the great problem of superiority in the higher branches of manufacturing industries. The practical education of the young in all the details that enter into the manipulation of raw materials must be of the greatest service, as it will develop

a class of thoroughly trained experts, and lead to new and novel methods of treatment in the processes of manufacture. As wealth increases there will be a growing demand for new artistic productions, and of a class where excellence will be the controlling question, as far as price and fashion are concerned. For this reason no pains should be spared in providing technical schools in every section of our country, so as to popularize the study of a most useful and necessary science—for such it really is—and which is, at the same time, both practical and useful. Technical schools undoubtedly develop a fondness for the manipulation of the various raw materials coming under attention, and this must lead to a feeling of content among those who finally, from choice, choose to earn a livelihood amid the clashing machinery of the mill. The question of fixity of labor, combined with educated skill in the use of materials, is one of great interest to American manufacturers. In England, the development of this system of education appears to have been rapid of late, and will, unquestionably, make great progress in the future. Anything that tends to raise the standard of manufactures at this time has a special value, for the reason that the best products command the best prices; being in increasing demand, and to secure fine manufactures, it is necessary to have skilled operatives of the best class.

## A CARD.

From Stout, Mills & Temple—Livingston vs Odell.


We notice an article in the *Commercial Gazette* of May 8, under the heading of "Happy Millers," giving the substance of a conversation by a party of millers at the Board of Trade meeting, the day previous, in which the decision of the U. S. Supreme Court in the case of Downton vs. The Yaeger Milling Company was a topic of discussion. In the course of this conversation, the Livingston and Odell controversy was also alluded to, and it was remarked that Odell had obtained judgment against Livingston, which, were it true, would involve Stout, Mills & Temple, who are the sole manufacturers of the Livingston Roller Mill. We saw by the tenor of this conversation, that the gentlemen, including the reporter of the *Commercial Gazette*, present at said meeting, did not understand the nature or scope of the Livingston and Odell controversy, and this reply is intended to set both of them and all others interested aright on the subject. A false impression has been made in the minds of the millers of the country, all of which has grown out of an interference before the Commissioners of Patents in regard to the priority of invention of two minor points, both of which were claimed by both Livingston and Odell. These disputed points have, for several months, been discarded by Stout, Mills & Temple, and different and better ones substituted. It is not our purpose to go into the details of this subject, but only to correct a false impression which has unquestionably been made to prevent, as far as possible, the sale of Livingston mills. A great deal of coloring has been given to this interference case, and we here say for the information of all concerned that no one need have any fears of the Odell party, as we are not using any device on the Livingston Roller Mills, which is the property or patent of the said party. Further, no judgment has been rendered against us, and none can be. There is not a device in connection with the Odell mill that we want or would use if offered to us as a gift. The manufacture and sale of gradual reduction roller mills is part of our business, and we believe we shall get a fair proportion of business done in this line of mill machinery and can obtain it by fair and legitimate means, instead of frightening millers into purchasing by threats of suits if they purchase any other. We prefer to sell upon the merits of our own production rather than upon the demerits of others. In conclusion, we would say to any and all mill-owners using the Livingston roller-mills to pay no attention to threats and pay no royalty to any one for the use of the Livingston Roller Mills. WE STAND BY OUR FRIENDS.

STOUT, MILLS & TEMPLE, Dayton, O.

No reflection whatever is cast upon the millers or reporter, as they have been misinformed.—*Cincinnati Commercial*, May 15.

It is better to have too great a boiler capacity than too little. There are but few mills and factories using steam power that do not grow in their demand for power beyond the initial expectations. Most first-class engines are so proportioned that, providing the necessary amount of steam is obtainable, they can be run with very fair economy and safety to a power considerably higher than that for which they were originally designed.



**DO YOU MAKE BUCKWHEAT FLOUR?**

—BY USING—  
**CRANSON'S**  
 SILVER CREEK ROLLER BUCKWHEAT  
**SHUCKER**

—YOU CAN—  
 INCREASE YOUR PROFITS,  
 BETTER YOUR QUALITY,  
 SATISFY YOUR CUSTOMERS.

Send for full Descriptive Circular, giving prices,  
 sizes, Terms, etc.

**G. S. CRANSON & SON,**  
 Silver Creek, Chaut. Co., N. Y.

**WATEROUS ENGINE WORKS CO.,**  
 Brantford, Ontario, Sole Agents for Canada.  
 [Please mention UNITED STATES MILLER when writing.]

**5300****'Triumph' Power Corn Shellers**


IN USE.

Send for Descriptive circular and Testimonials.

ADDRESS

**PAIGE MANUFACTURING CO.,**

20, 22 and 24 St. Clair St., Painesville, O.



**JAMES LEFFEL'S IMPROVED**  
**WATER WHEEL,**


Fine New Pamphlet for 1882.

The "OLD RELIABLE" with Improvements, making it the Most Perfect  
 Turbine now in use, comprising the Largest and the Smallest Wheels, under  
 both the Highest and Lowest Heads in this country. Our new Pocket  
 Wheel Book for 1881 and 1882 sent free. Address,

**JAMES LEFFEL & CO.,** Springfield, Ohio.

and 110 Liberty St., New York City.

[Mention this paper when you write to us.]



**RICHMOND MANUFACTURING CO.**  
**LOCKPORT, N. Y.,**


—Manufacturers of—

**RICHMOND'S CELEBRATED****Smut Machines,****Brush Machines,****Grain Separators,****and Bran Dusters.**

Nearly Two Hundred of these Machines are now in operation  
 in the city of Minneapolis, Minn., alone, and more than  
 sixty in the city of Milwaukee, Wis. They are also extensively  
 used in many other sections, both on Winter and Spring  
 Wheat.

SEND FOR DESCRIPTIVE CATALOGUE.

[Mention this paper when you write.]



Adjustable Brush Smut Machine.

**STEEL**  
**CASTINGS**

Works, CHESTER, PA.

[Mention this paper when you write us.]

**FROM 1-4 to 10,000 LBS. WEIGHT.**

True to pattern, sound and solid, of unequalled strength, toughness and  
 durability.  
 An invaluable substitute for forgings or cast iron requiring threefold  
 strength.  
 Gearing of all kinds, Shoes, Dies, Hammer-Heads, Cross-Heads, for Locomotives,  
 etc.  
 15,000 Crank Shafts and 10,000 Gear Wheels of this steel now running  
 prove its superiority over all other steel castings.  
 FRANK SHAFTS, CROSS-HEADS and GEARING, specialties.  
 Circulars and price list free. Address,

**CHESTER STEEL CASTINGS CO.,**

407 LIBERTY ST., PHILADELPHIA, U. S. A.

**J. H. REDFIELD,****Millwright and Mill Furnisher,**

Patentee and general Agent for

**REDFIELD'S COMBINED ELEVATOR AND PURIFIER.****And the Champion Wheat Cleaning Machinery.**

Large stock of Du Four's Bolting Cloth on hand, which we sell lower than can be purchased elsewhere. Cloths made up to order and guaranteed to fit, and be of the best material, and made in the most workman-like manner.

Send for catalogue and price list. It will pay you.

**J. H. REDFIELD, Salem, Ind.**

[Please mention the United States Miller when you write to us.]

**WALKER BROS. & CO.,**

FLOUR AND GRAIN

**Commission Merchants**

TRINITY SQUARE,

LONDON, E. C., - ENGLAND.

CHOICE BEVELLED EDGE

**FLOUR BRANDS**

For two dollars and upwards. Also RUBBER STAMPS  
 BURNING BRANDS, SEALS, STEEL NAME STAMPS  
 LETTERS AND FIGURES, Etc. Orders promptly attended to  
 CHAS. H. CLARKE,  
 Box 114 82 Wisconsin St., Milwaukee.

**GANZ & CO.,**


Budapest, Austria-Hungary.

We are the first introducers of the Chilled Iron Rollers  
 for milling purposes, and hold Letters patent for the  
 United States of America. For full particulars address as  
 above.  
 [Mention this paper when you write to us.]



Mill Furnishing,  
 Foundrymen & Machinists.  
 Established 1861.  
 MANUFACTURE  
**MILL STONES.**  
 Flouring Mill Contractors.  
 Send for Pamphlet.  
 Nordyke & Marmen Co  
 Indianapolis, Ind.

[Mention this paper when you write us.]



**POOLE & HUNT'S**  
**Leffel Turbine Water Wheel**

Made of best materials and in best style of workmanship.

**Machine Molded Mill Gearing**

From 1 to 20 feet diameter, of any desired face or pitch molded by our own SPECIAL  
 MACHINERY. Shafting, Pulleys, and Hangers, of the latest  
 and most improved designs.

**Mixers and General Outfit for Fertilizer Works.**

Shipping Facilities the Best in all Directions.

**POOLE & HUNT, Baltimore, Md.**

N. B.—Special attention given to Heavy Gearing for Pulp and Paper Mills.  
 [Mention this Paper when you write to us.]

**Stout, Mills & Temple,**  
**DAYTON, - - - OHIO.**

MANUFACTURERS OF THE

**American Turbine Water Wheel,**

Best Quality French BURR MILLSTONES.

Sole Agents in Dayton for the sale of

DU FOUR &amp; CO'S CELEBRATED BOLTING CLOTHS.


Flour and Paper Mill Machinery, Best Chilled or Porcelain  
 Rolls for Crushing Wheat  
 and Middlings and

**GENERAL MILL FURNISHINGS.**

The AMERICAN TURBINE, as recently improved, is unequalled in the  
 power utilized from a given quantity of water, and is decidedly the BEST  
 "PART GATE" Water Wheel ever known. It has also been otherwise greatly improved.

Large Illustrated Catalogue Sent Free on Application.

[Mention this paper when you write to us.]

**BOTTLED BEER.****VOECHTING, SHAPE & CO.,**

SOLE BOTTLERS OF

JOSEPH SCHLITZ BREWING COMPANY'S




**CELEBRATED MILWAUKEE LAGER BEER.**

Cor. Second and Galena Streets,

**MILWAUKEE, - - - WISCONSIN.**

BOTTLETS SUPPLIES CONSTANTLY ON HAND.

[Parties corresponding will please state where they saw the advertisement.]

**Buckwheat Refiners & Portable Mills.****BREWSTER'S CELEBRATED****Buckwheat Refiner**Is the only Machine  
whereby the greatest  
yields of**PURE, WHITE,****SHARP FLOUR**

can be obtained.

The only reliable, practical  
and durable Machine  
**IN THE WORLD.**

The Positive Adjustment

**AND AUTOMATIC****Middlings Mill**

Is strictly Self Protecting,

The BEST ADJUSTMENT

**IN THE WORLD,**

And the only

**PERFECT GRANULATOR,**

GRINDS COOL, SELF OILING,

GREAT SAVING OF POWER,

**SIMPLICITY AND****Durability Combined.**

Satisfaction Guaranteed on all our Goods. Send for descriptive Circular, giving Prices, Sizes, Terms, etc.

**BREWSTER BROS. & CO., Unadilla, N. Y.**

[Mention this paper when you write.]

**HARRIS-CORLISS ENGINE.**

—BUILT BY—

**WM. A. HARRIS, Providence, R. I.**

Built under their original patents until their expiration. Improvements  
 since added: "STOP MOTION ON REGULATOR," prevents engine from running  
 away; "SELF-PACKING VALVE STEMS" (two patents), dispenses with  
 four stuffing boxes; "RECESSED VALVE SEATS" prevent the wearing of  
 shoulders on seats, and remedying a troublesome defect in other Corliss  
 Engines, "BABBITT & HARRIS' PISTON PACKING" (two patents). "DRIP  
 COLLECTING DEVICES" (one patent). Also in "General Construction" and  
 "Superior Workmanship."

The BEST and MOST WORKMANLIKE form of the Corliss Engine now in the market, substantially built, of the best materials, and in both Condensing and Non-Condensing forms.

The Condensing Engine will save from 25 to 35 per cent. of fuel, or add a like amount to the power and consume no more fuel. Small parts are made in quantities and inter-changeable, and kept in stock, for the convenience of repairs and to be placed on new work ordered at short notice.

NO OTHER engine builder has authority to state that he can furnish this engine.  
 The ONLY WORKS where this engine can be obtained are at PROVIDENCE, R. I., no outside parties being licensed.

**WM. A. HARRIS, Proprietor.**

[Mention this paper when you write to us.]

**THE MILLERS**  
**MUTUAL INSURANCE COMPANY**  
**OF WISCONSIN**

is now issuing Policies of Insurance on all approved applications received so far. The Company has now sufficient members to allow it to increase the risks on any one Mill from \$1,000 to \$3,000.

All matters relating to Insurance should be addressed to

**JOHN SCHUETTE, Sec., Manitowoc, Wis.**

Please mention the United States Miller when your write to us.]



## ENGINEERING.

BY R. H. THURSTON, C. E.

In the address before the American Society of Mechanical Engineers, Prof. R. H. Thurston, of the Stevens Institute, Hoboken, N. J., and President of the Society, gave a *resume* of the progress which mechanical engineering is making in this country, from which we take the principal points.

In the handling of metal, said President Thurston, we have still much to learn. The weakness of the large sections of metals necessarily used in our heavier work still remains a serious evil, and our inability, especially when using steel, to secure the highest tenacity of the metal is a standing reproach to our profession. I have had occasion to test hundreds, yes, thousands, of samples of iron and steel during the last few years, and have never yet found a maker able to give equal tenacity in large and small sizes. This difficulty seems particularly serious in dealing with forged iron built up of scrap, and with heavy sections of any kind of steel. I find iron carrying 75,000 pounds per square inch in No. 8 wire, 55,000 in inch bars, and falling to 40,000, or even 35,000, in heavy engine-shafts and beam straps. Steel varies still more seriously. It is to be hoped that, with the more general use of ingot metal, the introduction of hydraulic forging, and of improved methods of heating and handling, so as to avoid the introduction of many small parts in building up large masses, or frequent exposure to high temperatures in the process, this element of cost and danger may, in a measure at least, disappear.

The great testing machine at Watertown Arsenal is constantly at work, under the direction of Colonel Daidley, sometimes for private and sometimes for public benefit, and has already done some extremely valuable work in that important and unexplored field, the investigation of the strength of large sections and parts of structures. Its most valuable work is done intermittently, and its usefulness is far less than it should be and would have been had its original purpose been adhered to. There seems no immediate prospect of the resumption of the great work organized in 1875, and planned and commenced by the Government Board.

The petitions of this society, of the Society of Civil Engineers, of the Institute of Mining Engineers, of the Iron and Steel Association, of the faculties of the leading technical schools and colleges of the United States, and of business men and other private individuals of all classes, with all the influence that they could command, separately or collectively, have been inadequate to secure the restoration of that Board, or the creation of a similar organization, or the resumption of the great work barely planned and begun by the old Board.

This fact is as suggestive of the necessity of a movement on the part of the business men of the country for the purpose of securing some influence in its government as it is remarkable as illustrating their utter impotence to-day. Meantime, the Ordnance Bureau of the Army has a small appropriation for use in this direction, and we shall look with hopeful interest for results.

But "Iron, tough and true, the weapon, the tool, and the engine of all civilization," as Theodore Winthrop calls it, is now fairly displaced by its younger rival, "mild steel," or more exactly, "ingot" or "homogeneous" iron.

For all shapes that can be rolled this revolution is accomplished, and, in forged work of small size, the change is hardly less complete. This is especially true of railroad work, and not only rails, tires, and axles, bolts, rivets and boiler plate are becoming common in steel, but piston and connecting rods, all forged parts of the valve gear and minor parts of the engine, are now made in this tougher, stronger, and more uniform and reliable metal.

The introduction of the basic process—tardy as it is—by cheapening the stock of the steel-maker, and the steadily increased familiarity of makers and users with the characteristics of the new metal and with the requisites for the successful manufacture of demanded grades and better qualities, will undoubtedly, before many years, make its use so general that puddled and forged iron will become almost or quite unknown in our art. The growth of pneumatic steel manufacture in this country during the past ten years has been most remarkable. In 1870 we were making somewhere about 20,000 tons, in 1873 about 160,000 tons, and to-day are turning out 1,750,000 tons; while the price has fallen below the finer brands of iron.

A few years ago—even those among us whose

hair has hardly begun to gray can remember the time—no engineer except Telford with his proposed cast-iron bridge of 600 feet span, dared present plans of iron truss or arched bridges of 300 feet span; and Roebling was the only engineer bold enough to attempt much greater spans even with suspension bridges.

To-day with improved material and the better knowledge of their quality that comes of intelligent inspection and systematic test, we think little of trusses of 500 feet span or suspension bridges of 1,000 feet and more; and it is even proposed to bridge the Forth at its expansion into the Frith with a steel truss bridge a mile long, containing two main spans of 1,700 feet each. Not the least remarkable and—to those who pay taxes in New York or Brooklyn to defray the cost of the "East River" bridge—interesting fact in connection with this scheme is that it is expected to cost but about \$7,500,000. Who shall say that we are not making progress in this direction at least?

The reduction in the cost of purer, stronger, tougher, and more homogeneous grades of so-called "steel" which are to take the place of iron in the near future, and of those which are made by the "open hearth process" especially, will depend principally upon the introduction of the regenerative type of furnace, the great invention of that greatest of metallurgical engineers, our colleague Siemens, and of the lesser inventors who have followed his lead. With this furnace supplying a means of attaining any desired temperature with a pure mild flame and at a wonderfully low cost of production, we are able to produce the boiler steels and similar metals with an economy that permits competition in this field with even the product of the Bessemer process. With the closed furnace, the attainable temperature is only limited by the temperature of fusion of the materials of the furnace. Could a new and sufficiently refractory furnace material be found, it might possibly be able to compete with the electric furnace of Siemens, or with the electric arc with which our colleague Farmer, that Nestor among our electricians, claims long ago to have produced the diamond. The melting of platinum in considerable quantities by Ricketts is now a familiar fact, and is an earnest of what may be expected in the more ordinary departments of metallurgy when such enormous temperatures shall be found manageable.

We are not yet absolutely free from annoyance by the presence of air cells and minor defects in these "ingot irons" as they are properly called; although such defects have ceased to be dangerous or in any way very serious. Capt. Jones' method of compressing the solidifying ingot by steam pressure, and other devices in imitation of his are giving us a very homogeneous metal.

Singularly enough, our people, enterprising as we are accustomed to consider ourselves, have not yet made use of the Whitworth system of compression of steel, notwithstanding the fact that its value has been known so many years, and through the wonderful strength, uniformity, and toughness conferred by it have made "Whitworth compressed steel" famous throughout the world. Abroad, its use is extending, and guns, screw shafts, and other heavy "uses" are often made of it. The venerable inventor informs me that he is preparing plans that will enable even large castings of peculiar shapes, as screw propellers to be made of this material. Some dozen years ago, studying this method and its results, partly for my own satisfaction, and partly to obtain material for a report to the Navy Department, I was greatly impressed with its efficiency as even then developed, and its work has since been wonderfully extended and its value correspondingly increased.

Our system of inspection and test of materials, of parts and of structures are steadily assuming satisfactory shape, and are becoming very generally, almost universally, adopted in all important work, whether public or private, and it will soon be the exception rather than the rule that supplied material or constructions of whatever kind are purchased without a careful determination of their fitness for their intended purpose.

In my last address, I referred very briefly to the modern method of manufacturing machinery in quantity for the market as distinguished from the old system, or lack of system, of making machines. This method compels the adaptation of special tools to the making of special parts of the machines and the appropriation of a certain portion of the establishment to the production of each of these pieces, while the assembling of the parts to make the complete machine takes place in a place set apart for that purpose.

This requirement, in turn, makes it necessary that every piece, and every face and angle, and every hole and every pin in every piece shall be made precisely of this standard size, without comparison with the part with which it is to be paired, and this last condition compels the construction of gauges giving the exact size to which the workman or the machine must bring each dimension.

Finally, in order that this same system, which has introduced such wonderful economy into the gun manufacture, into sewing machine construction, and into so many other branches of mechanical business, may become more general, and in order to secure that very important result, a universal standard for gauges and for general measurement, we need an acknowledged standard for our whole country, one that shall be an exact representation of the legal standard measure, and one which shall be known and acknowledged as such, and as exactly such.

It could hardly be expected that private enterprise would assume the expense and take the risk involved in this last work. Such work has heretofore only been done by governments. Yet among our colleagues are found the men who have had the intelligence, the courage and the determination to accept such risks and to meet such expense, and the men who have the knowledge and the skill needed in doing this great work. I think that report of our committee on gauges, and the paper of our colleague, Mr. Bond, will show that this great task has been accomplished, and we shall find that we are indebted to the Pratt & Whitney Co., to Prof. Rogers, and to Mr. Bond, for a system of measurement and a foundation system of gauges that will supply our tool makers and other builders with a thoroughly satisfactory basis for exact measurement and for accurate gauging.

It is encouraging to observe that this subject is attracting the attention of men of science, and that so distinguished a body as the British Association for Advancement of Science is taking action regarding it.

Design is to-day conducted systematically and with scientific adaptation of means to ends. The day of the *soi distant* inventor by profession has gone by, and the educated and trained designer has usurped his place. Reuleaux's kinematic synthesis determines the form to be taken by the machine when once the object sought in its construction is plainly defined, and an intelligent application of the laws and data of strength of materials gives its parts their safest and most economical forms and proportions.

The process of invention thus becomes a scientific one, and the inventor himself, instead of blindly groping for or guessing at results, is seen intelligently creating new and useful forms, and is now entitled to claim the higher credit and the nobler distinction that we gladly accord to him who performs so high an order of intellectual work, and to none more cheerfully than to him who applies the grand science of engineering to production of new forms of mechanism.

As in the fine arts the great painter is known by his success in composition and in form rather than in color, so in our own art the best work is that which is distinguished by excellence and of general design, of arrangement of detail and of proportion, while aimless ornamentation has no place. This characteristic of true art will become more fully illustrated as the scientific method of invention and design gains ground. The most direct and simple adaption of means to end will always be the object sought by the engineer, and the labors of one of our honorary members, Dr. Reuleaux, have led to the development of a scientific method of discovering those means.

In the steam engine practice, we are now advancing rapidly. The introduction of the "drop cut off," in 1841, by Sickles; of the now standard type of automatic valve gear, in 1849, by Corliss; of the high-speed engine twelve years later, by Allen and Porter; of the combined advantages of jacketing, superheating and reheating; and the definite acceptance of the compound engine in later years, still constitute the complete history of modern steam engineering; but we are, nevertheless, continually gaining a knowledge of the best methods of handling higher steam; of attaining higher piston speed; of securing greater immunity from cylinder condensation and leakage; and of providing against other causes of waste. We are just beginning to perceive what principles must govern us in the endeavor to secure maximum commercial efficiency, and how economy in that direction is affected by the behavior of steam in the cylinder, and by the mutual relations

of all the various expenditures that accompany the use of steam power.

The young Perkinses are still leading in the practice of carrying high steam, and make 400 pounds per square inch—27 atmospheres—a usual figure, while they are experimentally repeating the work of the elder Perkins, and of Dr. Albans, of forty years ago, working steam at 1,000 pounds or nearly 70 atmospheres.

Unfortunately, the gain to be anticipated by the use of these enormously increased pressures does not seem likely to be very great, unless some decidedly less wasteful kind of engine can be devised in which to work it. The Anthracite, with steam at 300 pounds and upward, was less economical in fuel than the Lelia, carrying about one-third that pressure. Emery has stated that a limit seems to be found at about 100 pounds to economical increase of pressure; and Stevens finds a limit, due to the character of the indicator diagram, inside of 250.

One of the most interesting and curious as well as important deductions from the rational theory of engine efficiency is the existence of an "absolute limit to economical expansion"—lying far within the previous accepted limit—due to the fact of increase of cylinder condensation and waste with increase in the ratio of expansion, which places an early limit to the gain due expansion *per se*. It seems possible, if not certain, that this point is often actually reached in ordinary engines within the range of customary practice.

All these facts combined point to a probability that we have little to hope for in the direction of increased steam engine economy with our standard machinery. Change in the directions that I have already so often indicated are evidently to be our sole reliance—changes limiting loss by cylinder condensation. Probably the surrounding of the working fluid by non-transferring surfaces is our only resource, in addition to, or in substitution for, the now well understood expedients of high piston speed and superheating. Until that is done, steam jacketing remains a necessary and unsatisfactory method of reducing losses. With a non-conducting cylinder, were it procurable, we might secure very nearly the efficiency of the ideal engine, friction aside, as it would be a "perfect engine," and no natural limit would then exist to increasing economy. Were this accomplished, we might at once reduce the cost of steam power by about one-half in our best engines, and to probably one-fourth for one-fifth of the present in ordinary machines.

In steam engineering, both physicists and engineers are more than ever attracted to the study of those phenomena which produce the familiar and enormous differences, even in the best practice, between the thermodynamic and the actual efficiencies of engines. The subject lies in that "marchland" territory between science and practice, which few of the profession can explore from both sides, and it has remained less known than it would otherwise be were it either a matter of purely physical science or of practical experience. Fortunately, we are likely soon to see it thoroughly studied. The debate which arose not long since between Zeuner, the distinguished physicist, as a representative of pure science, and Hirn, the no less distinguished engineer, as an experienced practitioner and skillful experimentalist, in which the differences, to which I have so often called attention, of fifty per cent. or more between the "theoretical" efficiency and the actual performance of the best steam engines seem for the first time to have been given prominence in Europe, has led to much closer study of the matter than could possibly otherwise have been brought about.

On this side the Atlantic, the discussion of steam engineering efficiencies has been carried on earnestly, if not always with that knowledge that should precede criticism, and it is to be hoped and anticipated that the engineer may ere long be put in possession of possible facts and real knowledge that may aid him in so designing and so applying this greatest of modern inventions as to attain the *maximum maximorum* of economy.

Ten years ago, nearly, I took occasion to state, in a report to the President of the United States on the exhibited machinery of the Vienna exhibition of 1873, printed later with the other reports of the United Scientific Commission, that "The changes of design recently observed in marine engines, and less strikingly in stationary steam engines, have been compelled by purely mechanical and practical considerations. The increase noted in economy of expenditure of steam and of fuel is, as has been stated, due to increased steam-pressure, greater expansion and higher



# A NEW DEPARTURE

We are the Sole and Exclusive Licensees for this Country under the  
**MORRITZ MARTIN PATENTS**

— ONE —

## Centrifugal Flour Dressing Reels

And we are now prepared to fill orders for machines with latest improvements, which include

**Our New Double Conveyors! New Cloth Fixing and Stretching Device!**  
**new and Simplified Manner of Driving!**

THE CENTRIFUGAL has more than FOUR TIMES the capacity of the ordinary reel, and will make clear flour and a clear finish on stock that cannot be treated in the common reel without loss, no matter how much silk it is passed over. IT IS ESPECIALLY ADAPTED to handling soft, reground material, full of light impurities, whether from rolls or stone.

IT IS INDISPENSABLE to a CLOSE FINISH in any system of gradual reduction milling, and will improve the quality of the low grade flour at the same time it makes the offal clearer.

IT MAKES A CLEAN SEPARATION on caked and flaky meal from smooth rolls, which no other style of reel can do. IT IS VASTLY SUPERIOR to the common reel for dusting middlings.

THEY CAN BE USED TO ADVANTAGE as a complete system of bolting, to the exclusion of the ordinary reel.

**Over one Hundred sold in six weeks.**

REFERENCE TO LEADING MILLERS IN THE UNITED STATES.

Write for descriptive circular and price list to

**GEO. T. SMITH MIDDINGS PURIFIER CO., - Jackson Michigan.**

[Please mention the United States Miller when you write to us.]

**EUREKA MANUFACTURING CO.,**

Manufacturers and Sole Proprietors of the

### BECKER BRUSH,

Galt's Combined Smut and Brush Machine.

The Only Practical Cone-Shaped Machines in the Market, and for that Reason the Best.

ADJUSTABLE WHILE IN MOTION.

Nearly 1,000 of these Machines in Use.

In the United States and foreign countries, and so far as we know all that use them are pleased. Millers, millwrights, and milling experts claim the Cone Shape Solid Cylinder Brush is the true principle to properly clean grain. All machines sent on trial, the users to be the judges of the work. For price and terms apply to

**EUREKA MANF'G CO., ROCK FALLS, ILL., U. S. A.**

[Mention this paper when you write.]

**THE PAIGE MANUF'G CO.,**

**PAINESVILLE, OHIO,**

MANUFACTURERS OF

**Boilers, Engines, Flouring Mill and Elevator Machinery.**

DEALERS IN


**ROLLER MILLS AND MILL FURNISHINGS**

OF EVERY DESCRIPTION.

Millwrights, Builders and Contractors, send for our Descriptive Machinery Catalogue of 1883.

20, 22 and 24 St. Clair St., Painesville, Ohio.

### The Perfect Feed Box



It insures a perfectly even distribution of the middlings over the entire width of the cloth. Every miller will appreciate this. Fits all purifiers. Address,

**CASE MANUFACTURING CO.,**  
COLUMBUS, OHIO.

W. E. CATLIN & CO., 68 LAKE ST., CHICAGO, ILL.  
AGENTS.

[Please mention this paper when you write to us.]

### BOLTING CLOTH!

Don't order your Cloth until you have conferred with us; it will pay you both in point of quality and price. We are prepared with special facilities for this work. Write us before you order. Address,

**CASE MFG. CO.,**

Office & Factory; Columbus, Ohio

Fifth St., North of Waughten.



**HENRY HERZER,**

Manufacturer

and

Dresser

—OF—

**MILL PICKS!**

NO. 456 ON THE CANAL.

**MILWAUKEE, WIS.**

I have had twenty-two years experience in the manufacture and dressing of Mill Picks, and can and do make as fine Mill Picks as can be made by anybody anywhere. I use only the best imported Steel for the purpose. My work is known by millers throughout the country, and is pronounced to be first class by the very best judges.

We have hundreds of the most gratifying testimonials from nearly all the States. We solicit your orders and guarantee satisfaction. Address as above.

[Please mention this paper when you write.]

### IMPORTANT NOTICE TO MILLERS.

The RICHMOND MILL WORKS, and RICHMOND MILL FURNISHING WORKS are wholly removed to Indianapolis, Ind., with all the former patterns, tools, and machinery, and those of the firm who formerly built up and established the reputation of this house; therefore to save delay or miscarriage, all letters intended for this concern should be addressed with care to  
**NORDYKE & MARION CO.,**  
INDIANAPOLIS, IND.



**BURNHAM'S**

Standard Turbine

### Water Wheel

Over 2,000 sold the past eight years. New Illustrated and Descriptive Pamphlet sent free by

**BURNHAM BROS.,**  
York, Pa.

[Please mention this paper when you write us.]

### PATENTS

We continue to act as Solicitors for Patents, Caveats, Trade Marks, Copyrights, etc., for the United States, Canada, Cuba, England, France, Germany, etc. We have had thirty-five years' experience. Patents obtained through us are noticed in the SCIENTIFIC AMERICAN. This large and splendid illustrated weekly paper, \$3.20 a year, shows the Progress of Science, is very interesting, and has an enormous circulation. Address MUNN & CO., Patent Solicitors, Publishers of SCIENTIFIC AMERICAN, 37 Park Row, New York. Hand book about Patents sent free.

**THE Milwaukee, Lake Shore & Western**

RAILWAY,

**THE BEST LINE BETWEEN**

**Milwaukee, Sheboygan, Manitowoc, Appleton, New London and Wausau.**

**2 DAILY THROUGH TRAINS 2**

EACH WAY.

Sleeping Cars on night Trains.

**THE BEST ROUTE**

From Oshkosh to all Points North and Northwest via New London Junction.

The fishing resorts on the Northern extension of this Line offer unsurpassed inducements to sportsmen. Special excursion rates for parties. Descriptive pamphlet forwarded to any address on application to the undersigned.

**H. G. H. REED,**  
Genl. Supt.

**H. N. WHITCOMB,**  
Genl. Pass. Agent.

Corner East Water Mason Streets,  
**MILWAUKEE, WIS.**

### ROPP'S COMPUTATION DIARY.

Embodies everything in Figures that is PRACTICAL, and ADAPTED to the wants of Farmers, Mechanics and Business Men; and by ingenious and original systems, makes the art of computation EASY and SIMPLE, even for a child. It gives the CORRECT answer to nearly 100,000 BUSINESS examples of almost every conceivable kind, and is worth its weight in gold to every person not thoroughly versed in the science of numbers. In selling GRAIN of any kind, it will tell how many bushels and pounds are in the load and how much it will come to, without making a single calculation. In like manner, it shows the value of Cattle, Hogs, Hay, Coal, Cotton, Wool, Butter, Eggs and all kinds of Merchandise. In computing INTEREST and WAGES, it has no equal, either in easy methods or convenient tables. It shows, at a glance, the accurate measurements of all kinds of Lumber, Logs, Cisterns, Tanks, Barrels, Granaries, Wagon beds, Corn cribs, Cordwood, Hay, Lands, and Carpenters', Plasterers' and Bricklayers' work, etc. It, however, not only tells results, but also TEACHES entirely NEW, SHORT and PRACTICAL RULES and Methods for RAPID commercial calculations, which will prove highly interesting to every student of this great and useful science. It is neatly printed on fine tinted paper, elegantly bound in pocket-book form, and accompanied by a Silicate Slate, Memorandum, pocket for papers and PERPETUAL Calendar, showing the DAY of the WEEK for any DATE in the 17th, 18th, 19th and 20th centuries. It will be to every one's interest indeed, to examine this useful and convenient work before buying a new memorandum as it saves not only time and labor, but often dollars and cents as well, and withal costs no more than an ordinary diary in similar binding.

Prices of Different Styles of Binding:

No. 1, Eng. Cloth, plain, with memorandum,	\$ .50
No. 2, " " " with slate, pocket, flap and mem.	.75
No. 3, Full Leather, " " " " " "	1.00
No. 4, " Morocco, " " " " " "	1.25
No. 5, " Russia, " " " " " "	1.50
No. 6, " Russia Calif, " " " " " "	2.00

Nos. 3, 4, 5 and 6 have RENEWABLE Diaries. Nos. 5 and 6 are GILDED. Sent Postpaid on receipt of price.

Address, **UNITED STATES MILLER,**  
Milwaukee, Wis.

**JOHN C. HICCINS,**

Manufacturer and Dresser of

### Mill Picks,

No. 169 W. Kinzie Street,

**CHICAGO, - ILLINOIS.**



Picks will be sent on 30 or 60 days' trial to any responsible miller in the United States or Canada, and if not superior in every respect to any other pick made in this or any other country, there will be no charge, and I will pay all express charges to and from Chicago. All my picks are made of a special steel, which is manufactured expressly for me at Sheffield, England. My customers can thus be assured of a good article, and share with me the profits of direct importation. References furnished from every State and Territory in the United States and Canada. Send for Circular and Price List.

[Mention this paper when you write us.]

### BIRGE & SMITH, PRACTICAL

### MILL WRIGHTS.

PLANS, SPECIFICATIONS & ESTIMATES

MADE FOR ALL KINDS OF

**MILLWORK, MACHINERY, ETC.**

Flour, Sawmill, Tanners' and Brewers' Machinery, and General Mill Furnishings,

Corner of East Water and Knapp Sts.,

**MILWAUKEE, - - - WISCONSIN.**

[Mention this paper when you write to us.]



**"MOORE COUNTY GRIT"**

Corn-Mills and Millstones,

ALL SIZES.

THE BEST IN THE WORLD

FOR TABLE MEAL!

Samples of Meal Sent on Application.

**NORTH CAROLINA MILLSTONE CO.,**

Chambersburg, Pa.

[Please mention this paper.]


### FOR SALE.

One 5 Run Flouring Mill, 2 Dwellings and 15 Acres of Land located at Kirwin, Kansas, a thriving Railroad town and good wheat section. Solomon River for power and O. K., new in 1879, all in A No. 1 order, very complete for merchant, exchange or custom work. Location exceptionally fine. Custom work at night will keep mill going night and day 1/2 toll. Price \$15,000, very low, taking into account mill location, etc. Some other property might be taken as part payment. For details, terms, etc. address,

**JOHN T. ADAMS,**  
96 Duane Street, CLEVELAND, OHIO.

**"THE BEST IS CHEAPEST."**  
Engines, THRESHERS SAW-MILLS, Horse Powers, Clover Hullers

(Suited to all sections.) Write for FREE Illus. Pamphlet and Prices to The Aultman & Taylor Co., Mansfield, Ohio. Millers and Grain Buyers can secure agency for the above goods (it will prove a profitable agency, free from risks, and will increase your trade with farmers) by writing to **THE AULTMAN & TAYLOR CO., MANSFIELD, OHIO.**



Address, **TAYLOR MFG. CO.,**  
Chambersburg, Pa.

[Please mention this paper.]



## NEWS.

piston-speeds, with improved methods of construction and finer workmanship. These several directions of change occur simultaneously, and are all requisite. To secure maximum economy for any given steam-pressure, it is necessary to adopt a certain degree of expansion which gives maximum economy for that pressure under the existing conditions.

'This point of cut-off for maximum efficiency lies nearer the beginning of the stroke as steam-pressure rises. For low pressure a much greater expansion is allowable in condensing than in non-condensing engines; but, as pressure rises, this difference gradually lessens. For example, with steam at 25 pounds by gauge, the best economical results are obtained when expanding about three times in good condensing engines and about one and a half times in non-condensing engines. With steam at 50 pounds, these figures become five and two and a half, respectively; and at 75 pounds, the highest efficiency is secured in condensing engines, cutting off at one-fifth, and in non-condensing engines with cut off at one-third stroke.

'Owing to the decreasing proportional losses due to back-pressure and to retarding influences, the departure from the economical result indicated for the perfect engine becomes greater and greater, until, at a pressure of between 200 and 250 pounds, the proper point of cut-off becomes about one-sixth or one-seventh, and very nearly the same for both classes of engines, and the increase of efficiency by increase of pressure and greater expansion becomes so slight as to indicate that it is very doubtful whether progress in the direction of higher pressure will be carried beyond this limit.'

These conclusions were derived from careful observation of the performance of un-jacketed "single cylinder" engines, and a comparison of the ratios of expansion of those exhibiting greatest economy. It is interesting to note that later and probably more reliable methods of comparison than were then familiar go far in confirmation of the opinion then expressed. I think that I have been able to prove the existence, as just stated, of an 'absolute limit of economical expansion,' which, whatever the ratio of steam pressure to back pressure, in all ordinary heat, engines probably fall within the range of familiar practice. Advance beyond the best efficiency of to-day in ordinary engines seems likely to be very slow and not at all likely ever to be very great.

Extended experiments will be needed to secure all the facts demanded by the designing engineer, and to furnish constants for the approximate theory of the efficiency, which only is, as yet, his sole guide. An exact theory is one of those things for which he hopes, but which he does not expect soon to see. Some experiments have already been made, but they contribute only the first step. Those made by order of the Navy Department, and principally by Isherwood, and those of Hirn have hitherto been our sole guide, but a new line of more direct investigation of the laws governing internal, or cylinder, condensation has been inaugurated by Escher, of Zurich, and we are able to see a fair prospect of obtaining definite information in this direction.

Escher finds, in the case taken by him, that this waste varies nearly as the square root of the period of revolution and of the pressure, and is nearly independent of the back pressure—conclusion which are especially interesting to me as corroborating assumptions, based on general observation and non-experimental practice, made by me previously in developing an empirical system of design.

In steam boiler engineering, the only observable change seems to be the slow but steady gain made in the introduction of water-tube coil boilers and sectional boilers, and in the extension of a rational system of inspection and test while in operation. To-day, the intelligent owner of boilers secures inspection and test, with insurance, by intelligent engineers and responsible underwriters, as invariably as he obtains inspection and insurance of his building. Under this system, steam boiler design, construction, and management is becoming a distinct art, based upon real knowledge. The system of forced circulation proposed by Trowbridge, and, perhaps, others, seem to me likely to prove useful in the solution of the problem to-day presented.

Work on the Halliday mill at Cairo, Ill., is rapidly progressing under the superintendence of Mr. J. M. Patrick. Messrs. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., are furnishing forty pairs of rolls in Gray's noiseless belt frames, together with other special machinery, and are doing all the iron work. Messrs. Halliday Bros. do nothing by halves, and the mill, when completed, will be first class in every respect.

B. F. Boorman, miller, at Waukesha, Wis., has failed and made an assignment.

B. Savage & Son, Alton, Iowa, have lately started up their mill on the Case system.

The John T. Noye Mfg. Co., of Buffalo, N. Y., is putting in another machine for corrugating rolls.

James Duttons flour mill at Vermillion, Ill., burned May 19. Loss \$12,000. Insurance \$6,000.

O. Lewis, Auburn, N. Y., has just placed his order with Stout, Mills & Temple for Livingston roller mills.

Stout, Mills & Temple of Dayton, O., shipped to S. W. Morrison, Evans, Col., 2 pairs of Livingston rolls.

Henry Temple, St. Louis, Mo., is just in receipt of Livingston rolls from Stout, Mills & Temple, Dayton, O.

The Case Mfg. Co., Columbus, O., have the order of S. T. Gibson, Wakeman, O., for one Case centrifugal reel.

Stout, Mills & Temple have just shipped D. Keefer Milling Co., Covington, Ky., Livingston rolls, 9 x 24, smooth.

W. J. Patterson, New Philadelphia, O., has left his order with Stout Mills & Temple for 1 double Livingston mill.

Greaves & Ruff of Kingsville, Mo., have an order with Stout, Mills & Temple of Dayton, O., for Livingston rolls.

J. W. Emison & Co., New London, Mo., are now running their mill on the Case system of gradual reduction.

The Case Mfg. Co., Columbus, Ohio, are furnishing Geo. Hyatt, Washington, Ind., with some new machinery.

Moore & Rayburn of Kansas City, Mo., have an order for Livingston rolls with Stout, Mills & Temple of Dayton, Ohio.

The Case Mfg. Co., Columbus, Ohio, are furnishing J. M. Piazek, Valley Falls, Kans., with a line of breaks and rolls.

The Eureka Manf'g. Co., of Rock Falls, Ill., have placed in the Alton Roller Mill Co., of Alton, Ill., a Becker wheat brush.

The Eureka Manf'g. Co., of Rock Falls, Ill., have lately shipped a Becker wheat brush to Steel & Harris, of Alton, Ill.

The Case Mfg. Co., Columbus, Ohio, are furnishing Wm. Sharaga & Co., Pomona, Ill., with some new machinery.

The Case Mfg. Co., Columbus, Ohio, are furnishing Courtney & Wood, Kiosisville, Ohio, with some new machinery.

The Case Mfg. Co., Columbus, Ohio, are furnishing Baldwin & Osborn, Waupaca, Wis., with some new machinery.

The Case Mfg. Co., Columbus, Ohio, have the order of G. Wilkie, Lexington, Wis., for a line of breaks, rolls and purifiers.

Smith, Lawther & Co., Nickerson, Kans., will start up their mill in a short time on the Case system of gradual reduction.

Scott & Buel, Union City, Mich., are putting in some new machinery furnished by the Case Mfg. Co., Columbus, Ohio.

The Case Mfg. Co., Columbus, Ohio, have the order of Bailey & Rush, Marengo, Ia., for one "Little Giant" break machine.

R. Hannon & Co., Wall Lake, Iowa, has placed his order with the Case Mfg. Co., Columbus, O., for some new machinery.

The Case Mfg. Co., Columbus, O., have an additional order from J. A. Noggle, Lodi, O., for one "Case centrifugal reel."

Jas. Wagner & Co., of San Francisco, Cal., is putting in a machine for cutting rolls. The John T. Noye Mfg. Co., will furnish it.

Stout, Mills & Temple of Dayton, O., have just placed in the mills of Simon Gebhart & Son, Dayton, O., 6 pairs of Livingston rolls.

P. C. McGammon, Mt. Vernon, Ind., will use 2 double Livingston mills, from Stout, Mills & Temple, Globe Iron Works, Dayton, O.

Badger & Henry, Sharpsburg, Ky., have lately started up their mill on the Case system of gradual reduction with the best of results.

C. F. Beaumetz, Berea, O., has placed his order with the Case Mfg. Co., Columbus, O., for break machine, scalper, centrifugal, &c.

Chas. Pigler, of Sumpter, Minn., has instructed The John T. Noye Mfg. Co., of Buffalo, N. Y. to ship him a single Stevens' roller mill.

Ballard & Ballard, Louisville, Ky., have placed an order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a double Stevens' roller mill.

J. N. Shanwholger, Manito, Ill., has filed and order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a double Stevens' roller mill.

Hardesty Bros., Columbus, Ohio, are putting in a double Stevens' roller mill to be furnished by The John T. Noye Mfg. Co., of Buffalo, N. Y.

Fred. Schumacher, of Akron, Ohio, has sent in an order to The John T. Noye Mfg. Co., of Buffalo, N. Y. for a double Stevens' roller mill.

P. L. & J. B. Shusse of Stoners Pa., have placed an order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a double Stevens roller mill.

Stout, Mills & Temple, Dayton, O., will furnish Wm. Huckaby, Paola, Ka., Livingston roller mills and machinery for remodeling their mill.

Gratiot Mfg. Co. Chicago, Ill., have placed their order with Stout, Mills & Temple, Dayton, O., for three double sets Livingston roller mills.

Geo. Millbank Chillicothe, Mo., has salted an order for an additional Stevens roller mill (9x30) with the John T. Noye Mfg. Co., Buffalo, N. Y.

Stout, Mills & Temple of Dayton, O., have the contract for the rolls to be used by James McMillen & Son, Jamestown, O., in their new mill.

Louis Emery, Jr., Three Rivers, Mich., has lodged an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for a double Stevens' roller mill.

Jno. G. Schaupp, Grand Island, Neb., has filed an order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a four break Rounds' sectional roller mill.

Neevins & Padawiltz, Grand Rapids, Wis., have placed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for twelve pairs of Stevens' rolls.

G. F. Arvedson, Carpentersville, Ill., has lodged an order for ten pairs Stevens' rolls and other machinery with The John T. Noye Mfg. Co., of Buffalo, N. Y.

Leach & Reasner, Halstead, Kans., want to be among the prospering millers, and have decided that they can be by changing their mill to the Case system of gradual reduction. They have placed their order with the Case Mfg. Co., Columbus, Ohio, for a full line of breaks, rolls,

purifiers, centrifugals, scalpels, etc., for a complete gradual reduction mill.

Sprague & Perfect, Marysville, O., are putting in the gradual reduction system, using five double sets Livingston belted mills.

A Becker brush, made by the Eureka Manf'g. Co., of Rock Falls, Ill., has been placed in J. A. Vernon's mill, at Hamburg, Penn.

The Case Mfg. Co., Columbus, Ohio, have been ordered to send J. R. Sechler, Sechlerville, Wis., one "Little Giant" break machine.

Roots & Co., Cincinnati, Ohio, have ordered two more 9x18 double break machines from the Case Mfg. Co., Columbus, Ohio.

Thos. Hamilton, Union Mills, Ind., has just placed his order with Stout, Mills & Temple, Dayton, O., for two pairs of Livingston rolls.

Schoelkopf & Mathews of Buffalo, N. Y., has placed an order for a large sized dust collector with the Milwaukee Dust Collector Mfg. Co.

The Case Mfg. Co., Columbus, Ohio, have the order of J. F. Katterjohn, Boonville, Ind., for two pairs Case rolls, with automatic feed.

The Case Mfg. Co., Columbus, Ohio, have the order of Hugh Sprout & Co., Boyers, Pa., for one pair bran rolls with patent automatic feed.

The Case Mfg. Co., Columbus, Ohio, have an order from D. Shepp, Tamaqua, Pa., for one reducer and scalper, making three separations.

W. H. Hamond, Springfield, Mo., has just placed an order with Stout, Mills & Temple of Dayton, O., for 3 double sets of Livingston rolls.

The Case Mfg. Co., Columbus, Ohio, are furnishing I. G. Stembanner, Plattville, with one pair smooth rolls, with patent automatic feed.

Stout, Mills & Temple, Dayton, O., are furnishing W. C. Mansfield, Cleveland, Tenn., Livingston roller mills and machinery to remodel his mill.

The Jewell Milling Co. of Brooklyn, N. Y., are putting in the Prinz Dust Collectors as fast as time allows. They intend abolishing the dust room.

Bottkoll Bro's of Brussels, Wis., will use Livingston rolls in their new mill at Ahnapee, Wis., from the works of Stout, Mills & Temple, Dayton, O.

Thos. Moses, Sharon, Pa., will change his mill to the gradual reduction system using Livingston roller mills, from Stout, Mills & Temple, Dayton, O.

Knollenburg & Waverling, of Quincy, Ill., wishing to do first-class work, have bought a Becker brush from the Eureka Manf'g. Co. of Rock Falls, Ill.

J. M. Shirk, of Mt. Carroll, says he wants the best brush made, and accordingly, orders a Becker brush, made by the Eureka Manf'g. Co., of Rock Falls, Ill.

F. & H. Fries of Salem, N. C., has placed an order with The John T. Noye Mfg. Co., of Buffalo, for a Rounds sectional and a double 9x15 Stevens roller mill.

Stout, Mills & Temple, Dayton, O., have received orders from Phoenix Fdry & Mach. Co. of Terre Haute, Ind., for four double sets of Livingston finishing rolls.

Cooper Mfg. Co., Mt. Vernon Ohio, have recently placed orders with Stout, Mills & Temple of Dayton, O., for two full lines of Livingston mills, 10 double sets.

Wehrman & Koelling, of Truxton, Mo., have lately overhauled their mill and put in a Becker brush, made by the Eureka Manf'g. Co., of Rock Falls, Ill.

W. T. Pyne, of Louisville, Ky., has placed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for a double Stevens' roller mill for J. E. Mills, Greenville, Ky.

Mast, Troyer & Co., of Buena Vista, Ohio, not wishing to be behind the time, have put in a Becker wheat brush, made by the Eureka Manf'g. Co. of Rock Falls, Ill.

A single Stevens roller mill will go to Toledo, O., to be furnished by The John T. Noye Mfg. Co., of Buffalo, N. Y., upon the order of Barney & Kilby of Sandusky, O.

The Case Mfg. Co., Columbus, O., have the order of J. Blank, Sycamore, Ill., for breaks, rolls, purifiers, scalpels, etc., for a reduction mill on the Case system.

J. A. Blythe, Orleans, N. Y., has just placed his order with Stout, Mills & Temple, Dayton, O., through their agent, Chas. Rakes, for two pairs of Livingston rolls.

H. S. Challis, of Wetmore, Kans., has improved his cleaning machinery by putting in a Becker wheat brush, made by the Eureka Manf'g. Co., of Rock Falls, Ill.

The Case Mfg. Co., Columbus, Ohio, have the order of John Spencer, Barrington, Wis., for one "Little Giant" break machine and scalper, making three separations.

Mark Evans has ordered three pairs of the celebrated Stevens' rolls for a mill in Fort Worth, Texas. The John T. Noye Mfg. Co., of Buffalo, N. Y. will fill the same.

The Case Mfg. Co., Columbus, Ohio, have the order of Michael Kennedy, Des Moines, Iowa, for break machine and smooth and corrugated rolls, for germ and bran.

The Case Mfg. Co., Columbus, Ohio, have an additional order from G. W. Nicewanner, Piqua, Ohio, for one four-roller, "Bismarck" mill, with patent automatic feed.

A. M. Hull, Ithaca, N. Y., has placed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for a Rounds' sectional roller mill and two double Stevens' roller mills.

J. & S. Emison, Vincennes, Ind., has filed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., through Jno. Webster, Detroit, Mich., for six pairs of Stevens rolls.

Jesse Barlow of Phelps, N. Y., will place in his mill a Rounds sectional and a double Stevens roller mill all to be furnished by the John T. Noye Mfg. Co., Buffalo, N. Y.

A. W. Martins, of Goodville P. O., Pa., has planted an order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a Rounds' sectional roller mill and a single Stevens' roller mill.

Capt. E. W. Pride, of Neenah, Wis., has forwarded to The John T. Noye Mfg. Co., Buffalo, N. Y., an order for nine Stevens roller mills for Frank Koenig, Watertown, Wis.

Bailey & Rush, Marengo, Iowa, are putting one 9x18 double "Bismarck" Roll, with patent automatic feed for bran and tailings, from The Case Mfg. Co., Columbus Ohio.

Stout, Mills & Temple of Dayton, O., have just contracted with Wood & Co., Harvard, Ill., for a complete roller mill, using Livingston rolls and S. M. & T. bolting chests.

A. Dehner & Co., the well known millfurnishing house of St. Louis, are placing a large number of orders with the Milwaukee Dust Collector Mfg. Co., for Prinz dust collector.

James Mc. Grew, Kankakee, Ill., has contracted with Stout, Mills & Temple of Dayton, O., for one six-break Gilbert combined mill, 9 x 24 inch rolls and Livingston finishing rolls.

Messrs. Warwick & Justus of Massillon, O., have let the entire contract for rebuilding their mill to a complete

roller mill to The John T. Noye Mfg. Co., of Buffalo N. Y. Eighteen pairs of Stevens rolls as well as other first class machinery will be employed, all under the direction of J. S. Karns.

The new mill now building at Grand Rapids, Mich., by Messrs. C. G. A. Voigt & Co., will have a complete outfit of Allis rolls in Gray's noiseless belt frames—twenty-six pairs in all.

Stout, Mills & Temple of Dayton, O., have the contract for remodeling D. Scott's mill, Macomb, Ill., using the Gilbert combined mill for breaks, and Livingston finishing rolls.

Holliday Bros., of Cairo, who have the largest and best mill in the State, are putting in one of the largest size Becker brushes, made by the Eureka Manf'g. Co., of Rock Falls, Ill.

W. N. Hoorver, of Oskaloosa, Iowa, after looking into the merits of all the brush machines, concludes he wants a Becker brush, made by the Eureka Manf'g. Co., of Rock Falls, Ill.

The Case Mfg. Co., Columbus, Ohio, have the order of M. J. Bowley, Fort Worth, Texas, for one "Little Giant" break machine and scalper combined, making three separations.

Among other exhibits in the great R. R. Exposition, opened at Chicago, May 24th, was an 18 x 48 Reynolds-Corliss engine from Edw. P. Allis & Co's Reliance Works Milwaukee.

L. W. Rathbun of Rochester, N. Y., has sent in an order to The John T. Noye Mfg. Co., Buffalo, N. Y., for a Rounds sectional and a double Stevens roller mill for a mill at Clyde, N. Y.

When finished and fully equipped with its housing, pulleys, etc., it assumed such huge proportions that the men who put it up dubbed it "Jumbo," after Barnum's big elephant.

Jones & Co. of New York are operating the Prinz Dust Collectors on their purifiers rollers exhaust and grain cleaners. They require only a few more machines to do away with the dust room.

Jno. Webster, the irrepressible John, has gobbled an order from F. Goodnow & Co., Salina, Kas., for nineteen pairs of Stevens rolls to be furnished by the John T. Noye Mfg. Co., of Buffalo, N. Y.

The Case Mfg. Co., Columbus, Ohio, have been ordered to ship the Odessa Mill Co., Odessa, Mo., one four-roller "Bismarck" mill for bran and tailings, and one Little Giant Break Machine.

Chas. Heuber of St. Louis, Mo., has sent in an order to The John T. Noye Mfg. Co. of Buffalo, N. Y., for ten pairs of Stevens rolls to be furnished for the mill of Estel & Weinbold, at Wittenburg, Mo.

N. L. Walker, Nicholson, Pa., is putting in his mill a Rounds' sectional roller mill and a single detached mill all with Stevens' dress, and to be furnished by The John T. Noye Mfg. Co., of Buffalo, N. Y.

Jac. Amos & Sons who own and operate the splendid mill at Syracuse, N. Y., have ordered an additional double Stevens roller mill, to be furnished by the John T. Noye Mfg. Co., Buffalo, N. Y.

The Atlas Milling Co. of Buffalo, N. Y., are giving their mill a general over-hauling under the skillful hands of Ed. Brown, Jr., and The John T. Noye Mfg. Co. Ten pairs of Stevens' rolls will be used.

The Case Mfg. Co., Columbus, Ohio, have been ordered to ship Kloose & Bradford, Creston, Iowa, one "Little Giant" break machine and scalper, making three separations, to go in front of their burrs.

Jno. Webster, of Detroit, Mich., has scooped an order from Newton, Miller & Emmons, Robinson, Ill., for thirteen pairs of Stevens rolls to be furnished by The John T. Noye Mfg. Co., of Buffalo, N. Y.

Again Pyne (W. T.) of Louisville, Ky. is heard from. This time he places an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for a double Stevens' roller mill for J. T. McKenzie, of Louisville, Ky.

The Newport Oil Mfg. Co., of Newport, Ark., have placed their order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for a 16 x 42 Reynolds-Corliss engine, for their works at that place.

Pray Mfg Co of Minneapolis, Minn., have just placed their order with Stout, Mills & Temple, Dayton, O., for three car loads (21 double sets) of Livingston roller mills for their many customers in the Northwest.

The Case Mfg. Co. have been awarded the contract of Fisk & Silliman, Ashtabula, O., for a full line of breaks, rolls, purifiers, scalpels, centrifugal reels, etc., for a full gradual reduction mill on the Case system.

Wood, Morrell & Co., Johnstown, Pa., are about to change to rolls, and have sent The John T. Noye Mfg. Co. of Buffalo, an order for fifteen pairs of the celebrated Stevens' rolls, mounted in the improved frames.

The Spaulding Elevator and Construction Co., will build a 30,000 bushel elevator at Eau Claire, Wis., this summer. The Randall elevator has been purchased by parties who will immediately turn it into a flouring mill.

Nine pairs of 18 and 30 inch Stevens rolls furnished by The John T. Noye Mfg. Co. of Buffalo, N. Y., upon the order of Chas. Heuber of St. Louis, Mo. the milling expert, will go into the mill of Weinhold & Son, at Frohna, Mo.

The millers generally throughout the country are adopting the Prinz dust collectors and abolishing the old fashioned dust room. This keeps the Milwaukee Dust Collector Mfg. Co's shops on a full run all the time.

Ira Wescott, superintendent of the John T. Noye Mfg. Co., of Buffalo, N. Y., has secured an order and is making plans for an all roller mill for James Lawson at Thorold, Ont., sixteen pairs of the celebrated rolls will be used.

L. V. Rathbun, Gen'l agent for the sale of Stevens' roller mill has placed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for another Rounds' sectional roller mill and two single mills all with Stevens' corrugations.

The Case Mfg. Co., Columbus, O., have taken the contract of Dennis & Slough, Westerville, O., for a full line of breaks, rolls, purifiers, scalpels, centrifugal reels, etc., for a full gradual reduction mill on the Case system.

The Case Mfg. Co., Columbus, Ohio, have been awarded the contract of Woods & Dunlap, O'Fallen, Mo., for a full line of breaks, rolls, purifiers, centrifugal reels, etc., for a full gradual reduction mill on the Case system.

Charles Huber, the St. Louis, Mo. Hungarian milling engineer has secured an order from Moening & Wetlin, of Quincy, Ill., for three double Stevens' roller mills to be furnished by The John T. Noye Mfg. Co., of Buffalo, N. Y.

At White Pigeon, Mich., the mill of David P. Hamilton will soon undergo a rapid transformation from a stone to a full grown roller mill, by the hands of The John T. Noye Mfg. Co., Buffalo, N. Y., the veteran mill builders.

Messrs. Barton, McCortie & Co., of Cumberland, O., have determined to adopt the roller system and for that purpose have placed an order with The John T. Noye Mfg. Co., of Buffalo, N. Y., for five pairs of Stevens' rolls with latest devised frame.



W. F. Kerdorf, Esq., Lexington, Mo., recently gave Messrs. Edw. P. Allis & Co. of Milwaukee, Wis., an order for a Gray's noiseless belt roller mill.

Messrs. Turner & Reynolds, Stanton, Mich., recently ordered a Gray's noiseless belt roller mill from Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis.

Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., recently received an order for a Gray's noiseless belt roller mill from Mr. W. S. Hall, Steele City, Neb.

Messrs. Richards & Butler, Indianapolis, Ind., are rebuilding the mill of C. F. Moore, Waveland, Ind., and are putting in a full outfit of Allis rolls in Gray's noiseless frames.

Messrs. Yoe & Clark, La Crosse, Wis., lately ordered 4 pairs of Allis rolls in Gray's noiseless belt frames from Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis.

The Gratiot Mfg. Co. of Chicago, Ill., recently ordered four pairs of Allis rolls in Gray's noiseless belt frames from Messrs. Edw. P. Allis & Co., Milwaukee, Wis., for Mr. R. Bishop, McHenry, Ill.

Messrs. Chisholm Bros. & Gunn, Minneapolis, Minn., recently ordered of Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., 15 pairs of Allis rolls, all in Gray's noiseless belt frames.

The Lacroix Middlings Purifier Co. of Indianapolis, Ind., are remodeling the mill of Messrs. Long & Co., Russellville, Ky., and are putting in a full line of Allis rolls in Gray's noiseless belt frames.

Messrs. Wilford & Northway, mill furnishers, Minneapolis, Minn., are remodeling the mill of Messrs. Moening Bros., Quincy, Ill., and are putting in 14 pairs of Allis rolls in Gray's noiseless belt frames.

Messrs. H. B. Phillips & Co., Lebanon, Ky., lately placed their order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for 14 pairs of Allis rolls all in Gray's noiseless belt frames.

Messrs. Hiestand & Cowman of Hillsboro, Ohio, have contracted with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for the outfit of roller mills and machinery for their new mill.

Messrs. Zimmerman & Harter, Sedalia, Mo., are improving their mill, and have placed an order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for a Gray's noiseless belt roller mill.

Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., recently received an order from Silas Barkley, Hulmeville, Pa., for 7 pairs of the celebrated Allis rolls in Gray's noiseless belt frames.

Mr. J. Klingersmith, Kittanning, Pa., is remodeling his mill, and has placed his order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for 6 pairs of Allis rolls in Gray's noiseless belt frames.

The La Croix M. P. Co. of Indianapolis, Ind., have placed an order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for a Gray's noiseless belt roller outfit for Messrs. Carroll & Neely.

Another Rounds' sectional roller mill for Penn. has been ordered for the mill of Jos. Oberholzer, at Spring Grove mills. The John T. Noye Mfg. Co., of Buffalo, N. Y., will fill the order, a single smooth roller mill will accompany it.

The Case Mfg. Co., Columbus, Ohio, have been awarded the contract of A. L. Jacobs, Pana, Ill., for a full gradual reduction mill, on the Case system, line of their breaks, rolls, purifiers, scalping reels, etc., etc.

The Case Mfg. Co., Columbus, Ohio, have been awarded the contract of Geo. A. Klinglar, St. Charles, Mo., for a full line of breaks, rolls, purifiers, scalping reels, centrifugals, etc., for a full gradual reduction mill on the Case system.

Messrs. Sooy, Brinkman & Roberts, Great Bend, Kas., are putting in a 16 x 42 Reynolds-Corliss engine to take the place of a 12 x 36 Reynolds-Corliss, in order to give additional power for a proposed increase in the capacity of their mill.

R. J. Patton is building a new gradual reduction mill on the Case system at Meers, Ohio, he has placed his order with the Case Mfg. Co., Columbus, Ohio, for a full outfit of breaks, rolls, purifiers, centrifugal reels, scalping reels, etc.

Messrs. Chisholm Bros. & Gunn, Minneapolis, Minn., recently placed an order with Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, for a 14 x 42 Reynolds-Corliss engine for the new mill they are building at Aberdeen, D. T.

The Case Mfg. Co., Columbus, Ohio, are furnishing Patterson & Donleary, New Philadelphia, Ohio, with a full line of breaks, rolls, purifiers, scalping reels, centrifugals, etc., for a full gradual reduction mill on the Case system.

Jas. Wagner & Co., of San Francisco, Cal., the largest mill furnishing establishment on the Pacific coast has ordered of the John T. Noye Mfg. Co., Buffalo, N. Y., two Rounds' sectional roller mills, both with the celebrated Stevens' corrugations.

Messrs. W. Bell & Co., Millbrig, Ill., and T. Cottingham of Benton, Wis., have contracted with the Iowa Iron Works Mill Building Co. of Dubuque, Iowa, for remodeling their mills; they will each use a full line of Allis rolls in Gray's noiseless belt frames.

Messrs. Gould & Shaw have just completed building their new 100 barrel, steam power flour mill at Aledo, Ill. It is on the Case system of gradual reduction and gives great satisfaction. E. M. Warfel is head miller and Andrew Olsen, engineer.

P. J. Snyder, of Williamsville, N. Y., has determined to put in break rolls and has placed an order for a Rounds' sectional roller mill having Stevens' corrugations, scalping and elevators complete. The John T. Noye Mfg. Co., of Buffalo, have the order.

Dayton, O., May 24, 1883.—Stout, Mills & Temple of Dayton, O., have an order from Bennett Smith & Co., Emmenton, Pa., for one 9 x 18 six-break Gilbert mill, and two pairs of Livingston finishing rolls, through their agent, Chas. Rakes of Lockport, N. Y.

Stout, Mills & Temple of Dayton, O., received the contract for rebuilding Kirk & Kirk's mill, Port Clinton, O., on the gradual reduction system. They will use 1 six-break Gilbert mill and Livingston finishing rolls, with S. M. & T.'s bolting chests, etc.

Messrs. E. F. Schatzler & Co. are doing quite an extensive business in the mill furnishing line at present, and recently ordered a Gray's noiseless belt roller outfit from Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., for a job they have in construction.

F. S. Nichols, at Newark, N. Y., has determined to yield to the roller boom and has filed an order with The John T. Noye Mfg. Co., Buffalo, N. Y., for a Rounds' sectional roller mill and a double detached mill with the necessary machinery to alter his mill to a roller mill.

Mr. Ed. Zahn, Burlington, Wis., visited Milwaukee recently, and after a careful investigation, placed his order with Messrs. Edw. P. Allis & Co. of the Reliance Works, for one of their new four-break reduction machines and 4 pairs of Allis rolls in Gray's noiseless belt frames.

Messrs. Cummings & Allen, Akron, Ohio, have taken out the last run of stone in their mill and substituted therefor a double 9 x 18 porcelain roller mill, in Gray's noiseless belt frame. The same was furnished by Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis.

W. T. Pyne, of Louisville, Ky., has his hands full of work and reports a large increasing trade. He has recently taken a contract for putting a Rounds' sectional roller mill in the mill of Wm. Cuddick, Grand View, Ind. The John T. Noye Mfg. Co., Buffalo, N. Y., will furnish same.

R. G. Shuler & Co., of Minneapolis, Minn., have in structure The John T. Noye Mfg. Co., of Buffalo, N. Y., to ship them to Lisbon, D. T., for a mill they are building at that point a Rounds' sectional roller mill and four pairs rolls in separate frames, all with the Stevens' corrugations.

Mathias Blumer, La Crosse, Wis., after personally investigating the different systems of gradual reduction, left his order with the Case Mfg. Co., Columbus, Ohio, for a full line of breaks, rolls, purifiers, scalping reels, centrifugals, etc., for a full gradual reduction mill, on the Case system.

The Garden City Mill Furnishing Co. of Chicago, recently placed orders with Messrs. Edw. P. Allis & Co., of the Reliance Works, Milwaukee, Wis., for a Gray's noiseless belt roller mill for J. M. Hadley, De Soto, Kas. Also a Gray's noiseless belt roller mill for Henry Colstein, Ragsdale, Ill.

Messrs. Seiberling Bros. of Akron, O., have contracted with Messrs. Edw. P. Allis & Co., Milwaukee, for a 26 x 48 Reynolds-Corliss engine to drive their new flouring mill. This engine, with the pair of 22 x 48 in the new Schumacher mill, will give the Reynolds-Corliss a good representation in Akron.

Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., are building a 32 x 60 Reynolds-Corliss engine, to furnish motive power for the Southern Exposition at Louisville, Ky. Visitors to the Exposition who are interested in steam power, will find much about this engine to interest them.

Messrs. Edw. P. Allis & Co., Reliance Works, Milwaukee, Wis., are furnishing the roller mills, centrifugal reels, Gray purifiers, etc., for the addition to the Camp Springs mills at St. Louis, Mo., and are putting in thirty pairs of rolls in Gray's noiseless belt frames, making fifty-six pairs in all, in their complete mill.

W. F. Snook, formerly head miller for Messrs. Cummings & Allen at Akron, Ohio, has entered into partnership with the National Mill and Elevator Co. at Parsons, Kas., and is remodeling their mill to the roller system. Messrs. Edw. P. Allis & Co. of the Reliance Works, Milwaukee, Wis., are furnishing the entire outfit of rolls and machinery.

The new mill now building by Messrs. J. K. Mullen & Co., Denver, Col., will be driven by a 26 x 48 Reynolds Corliss engine, condensing; from the Reliance Works of Messrs. Edw. P. Allis & Co. of Milwaukee, Wis. Messrs. Allis & Co. also have contract for all of the roller mills, special machinery and iron work for this mill.

There will be used six double and one single Stevens' roller mill, two Martin centrifugals, Richmond brand 14" ters and brush machines, two flour packers, three 14" purifiers, Moline separators, suitable scalping and bolting arrangements to constitute a first-class mill. Mr. Hamilton has long been an enterprising citizen of that place and never fails to respond to the demands of human progress.

The following well known mill furnishers have lately sent in their orders for the Becker wheat brush, made by the Eureka Manf'g. Co. of Rock Falls, Ill.:

E. P. Allis & Co., Milwaukee, Wis.; Nordyke & Marmon, Indianapolis, Ind.; B. F. Gump, Chicago, Ill.; Todd & Stanley Mill Fur. Co., St. Louis, Mo.; Great Western Mfg. Co., Leavenworth, Kans.; A. Dehner & Co., St. Louis, Mo.; Whitmore & Binyon, London, England; Oscar Oexle & Co., Augsburg, Germany.

Stout, Mills & Temple of Dayton, O., now have their Gilbert combined mills working successfully in the following mills: Haskell, Cornell & Co., Toledo, O.; Willey & Moore, Lockport, N. Y.; H. L. Wetherald & Son, Connersville, Ind.; Bennett Smith & Co., Emmenton, Pa.; Jost Durst & Son, Dayton, O.; Kissler & Pierson, Ottumwa, Iowa; and are now placing them in the mills of Cuyahoga Forge & Iron Co., Cuyahoga Falls, O.; Schwarting & Co., Wolcott, Iowa; James McGraw, Kanakake, Ill.

The Goshen Ind. Milling Co. have quite recently contracted with The John T. Noye Mfg. Co., of Buffalo, N. Y., to re-build and re-furnish their mill at that place, giving it a capacity of two-hundred barrels in twenty-four hours. Eight double Stevens' roller mills will be employed, as well as five Smith purifiers, suitable and sufficient cleaning machinery, bolting capacity, &c., to constitute an A 1 mill. The work will be under the charge of N. W. Holt, the milling engineer connected with the above Co.

Stout, Mills & Temple, Dayton, O., have just received an order from Tho's Tyson of Melbourne, Australia, for 1 of their 36-inches American Turbines. They also have orders for their celebrated wheels from Union Mill Co., Waterloo, Iowa; E. P. Allis & Co., Milwaukee, Wis.; Ja's Rutherford, Bristol, Tenn.; Herr & Cissel, Georgetown, D. C.; Cha's Rakes, Lockport, N. Y.; Rock River Paper Co., Beloit, Wis.; Kimberly, Clark & Co., Neenah, Wis.; Minneapolis Mill Co., Minneapolis, Minn.; Bullard & March, Chagrin Falls, O.; Eau Clair Brush Electric Co., Eau Clair, Wis.; O. E. Merrill & Co., Beloit, Wis.; Stormont Silver Mining Co., Silver Reef, Utah.

A LARGE FOUR ROLLER MILL. The Case Manufacturing Co., of Columbus, O., have just shipped to Geo. O. Baker & Co., Selma, Ala., a 4-roller corrugated reduction mill of unusual dimension and capacity. The purpose to which it is to be put being out of the usual order required that the mill be of more than ordinary strength and weight. The rolls were 9x30 inches and corrugated for the purpose intended; the frame of the mill was solid iron, tight rigid and very strong; the bearing for the rolls were 10 inches in width and the journals 3 1/2 inch steel and 10 1/2 inches long; the pulleys were 19 inches in diameter and 8 inch face. The mill was built throughout with the greatest care and in the most thorough manner, it was an enlargement of the "Bismarck" pattern built by the Case Company and was of course furnished with their famous Automatic feed.

Stout, Mills & Temple of Dayton, O., have recently finished 3 complete gradual reduction roller mills situated as follows: A 150 bbl. mill (24 hours) owned and operated by J. W. Harsteman, Harstemanville, O., about three miles northeast of Dayton. It has been in successful operation for three weeks, giving the very best results. The power is furnished by three American turbines under 10 feet head, regulated by a Fruen governor. There are 12 pairs of Livingston rolls; 2 flour packers; and one wheat

separator on the first floor. The cleaning machinery is in the basement and can be stopped and started by a friction clutch. Above the grinding floor there are 11 flouring reels; 8 scalping reels; two centrifugals; 5 purifiers; and 1 bran duster. The mill was planned and programmed by Mr. Jno. Livingston, and the millwright work was done by Frank Peffer both with Stout, Mills & Temple. All the machinery and furnishings were from the works of the same firm. This is a model mill, both in plan and workmanship, and well worth the attention of enquiring millers in that section of the country. Another model mill, but using a different plant, also built by Stout, Mills & Temple, or rather remodelled, is that of H. L. Wetherald & Son, Connersville, Ind. It is a merchant mill, of 150 bbl. capacity. The wheat breaks and separations between the same are made, and bran finished for duster by a six-break Gilbert combined mill 24 rolls. The reduction of middlings and finishing is done on four pairs of Livingston rolls. They have 18 flouring reels; 2 centrifugals; and 5 purifiers with packers; and cleaning machinery. They have been running up to full capacity ever since starting, and getting highest prices for their flour in eastern markets, in competition with the best mills in the country. This mill was programmed by Mr. Livingston also. The third mill referred to is that of Kiser & Pierson, Ottumwa, Iowa. It has just been completed, and started up and is now running up to full capacity, 125 bbls. 24 hours. They use a Garden City break machine for first break. The next four reductions, including scalping and aspirating after each, are made by a four-break Gilbert combined mill—18-inch rolls. The bran is finished (sixth break) and middlings reduced on Livingston rolls. They use 12 bolting reels, 2 centrifugals and 5 purifiers, with necessary cleaning machinery, packers and furnishings. The mill was planned and built and machinery and machines furnished (except first-break machine) by Stout, Mills & Temple, and promises to be another monument to commemorate their skill as mill builders. This firm is now building three more mills complete, viz.: Schwarting & Co., Wolcott, Iowa; Wood & Co., Harvard, Ill.; Kirk & Kirk, Port Clinton, O. The first 125 bbl. capacity and the two latter 100 bbl.

#### THE OPENING OF THE GREAT BRIDGE.

The great suspension bridge between New York and her chief suburb, Brooklyn, has been formally opened for traffic, thus signaling the completion of one of the most remarkable engineering works undertaken in this country. This great work has been for so many years in course of construction, having been frequently delayed and postponed for financial and other reasons, that residents of the metropolis have for years past been accustomed to speak of its completion as an event that might happen some time in the indefinite future. But there must be an end to all things, and the great bridge, that has been the innocent cause of any amount of municipal discord, and that has cost many millions more than was originally contemplated, is finished at last. The formal ceremonies of the opening of the bridge for traffic on May 24th, were highly impressive.

As a matter of record, we present herewith, in condensed form, a history of this remarkable structure: The East River bridge has been constructed by the cities of New York and Brooklyn, through a commission appointed by the purpose by the authorities of the two cities. It originated, however, in private enterprise, a company having been organized in 1867 under the authority of an act of the Legislature to construct a bridge between the two cities. After the work, however, had been fairly started the company resigned its enterprise to the two cities, as above stated.

The great structure, which may be ranked with the greatest engineering works of the world, was designed by the late John A. Roebling (who unfortunately lost his life through an accident while engaged in the work of fixing the location of the Brooklyn tower), and was constructed under the direction of his son, Washington A. Roebling, as chief engineer. In May, 1869, a commission of three United States engineers was appointed by the War Department to report on the plans of Mr. Roebling, and especially to determine the question as to whether or not the bridge would be an obstruction to navigation. The government engineers approved the plan, but recommended an increase of five feet in height.

Operations were actually undertaken on January 3d, 1870, when the work of preparing the site of the foundation of the Brooklyn tower was commenced. From that time the work, notwithstanding many vexatious delays, was steadily prosecuted until its completion—a period of about thirteen years.

The actual cost of the bridge, including the cost of the site, will be about \$15,500,000, an amount considerably greater than the original estimates. The Brooklyn terminus is near the junction of Fulton and Main streets, and the New York terminus is on Chatham street near the City Hall. The total length of the bridge, including approaches, is 5,989 feet. The towers are 276 1/2 feet in height, and the clear span between them is 1,595 1/2 feet. The bottom of the bridge at the center is 135 feet above high-water mark. The supporting cables, four in number, and composed of a number of steel strands, are 15 1/2 inches in diameter, and are anchored inland at a distance of 930 feet back from the towers on each side. The anchorages are solid cubical structures of stone masonry, measuring 119 by 132 feet

at the base and rising some 90 feet above high-water mark. Their weight is about 60,000 tons each.

The roadway of the bridge rises from the towers at an elevation of 118 feet above high-water mark, in an easy curve to the center of the span, where it meets the cables at an elevation of 135 feet. The frame-work of the bridge floor consists essentially of two systems of steel girders at right angles. The roadway is 85 feet wide, and is divided into five parallel avenues. The two outside avenues, which are devoted to vehicles, are each nearly 19 feet wide. The central avenue, which is intended for pedestrians, is 15 1/2 feet wide, and is elevated 12 feet above the others. The two intermediate avenues between the wagonways and central pathway, and separated therefrom by vertical trussing, are to be occupied by a tramway, on which cars will be run in opposite directions. The motive power employed will be a stationary engine located on the Brooklyn side, operating an endless wire rope.

These details will give our readers who have had no opportunity of seeing it, a general idea of this masterpiece of engineering skill, which will be ranked among the great engineering works of the world.

MINNEAPOLIS stands first, St. Louis second, and Milwaukee third, in the manufacture of flour in the United States.

#### IMPORTANT NOTICE.

Milwaukee, Wis., May 1st, 1883.

To Whom it May Concern:

For the more complete protection of our patrons, and to secure them beyond question against loss or annoyance from suits for infringement with which they have been threatened, we have, at a great cost to ourselves, secured a LICENSE from the GEO. T. SMITH MIDDINGS PURIFIER CO. of Jackson, Michigan, KIRK & FENDER, of Minneapolis, Minn., and SAM'L L. BEAN, of Washington, D. C., licensing the "PRINZ" Dust Collector under all Dust Collector patents owned by the parties above named. The patents now company on this class of machines cover broadly the whole process of collecting dust in flour mills, and all the most modern devices by which the process is carried out.

The license, which we shall furnish to all parties having Dust Collectors made by us, carries with it ABSOLUTE security and PROTECTION in the use of our machines.

Yours very truly,

MILWAUKEE DUST COLLECTOR MFG. CO.

JULIUS SCHLESINGER, Manager.

#### FOR SALE.

A Flouring and Grist Mill: good water power, fine location, about 400 feet from Rail Road Station. Would take other real estate for part payment. For particulars inquire of O. E. MEYER, 188 West Water Street, Milwaukee, Wis.

ROLLER FLOUR MILL WANTED—To rent preferred, or buy. Capacity about 100 barrels daily; water power; must be unfailing. Address: Box 544 Lindsay, Ontario, Canada.

#### IMPORTANT NOTICE.

Our attention having been called to the rumor that certain parties have purchased the American interest in what is commonly known as the Ganz-Mechwart patent for purely speculative purpose, we deem it expedient to make public what is considered to form the basis of such a movement. Claim 2 in Patent 251,124 reads, "In a mill for grinding grain or other material, a pair of chilled cast iron cylinders, the surfaces of which are obliquely grooved in the same direction, in combination with mechanism for revolving both rollers at different speeds, substantially as set forth." It will for the present, serve our purpose, as well as that of the many friends of the Stevens Roller Mills in its various forms, to say, that as against any loss that may arise from any conflict with the above letters patent, we give an UNQUALIFIED and UNCONDITIONAL GUARANTEE.


THE JOHN T. NOYE MFG. CO.

BUFFALO, N. Y.



# COCKLE SEPARATOR MANUFACTURING COMPANY, MILWAUKEE

## GENERAL MILL FURNISHERS




PLAIN COCKLE MACHINE.

### AND MANUFACTURERS OF IMPROVED COCKLE SEPARATORS

(Kurth's Patent.) Also built in combination with

**Richardson's Dustless Wheat Separators!**  
Also Sole Manufacturer of BEARDSLEE'S PAT. GRAIN CLEANER.



BEARDSLEE'S WHEAT CLEANER.

Perforated Zinc at Bottom Figures.

Send for Illustrated Catalogue.

WE GUARANTEE GREAT CAPACITY combined with GOOD QUALITY OF WORK. Any common Sieve will separate the cockle from wheat, but to separate it WITHOUT WASTE is the GREATEST FEATURE of our Machine. A WASTEFUL machine is a DAILY LOSS OF MONEY in a mill. There is NO MACHINE IN THE MARKET which can stand comparison with ours.

Carbondale, Ill., Dec. 2, 1881.  
Cockle Separator Mfg. Co., Milwaukee.  
Gentlemen:—Replying to your late favor, would say that we can cheerfully recommend your Cockle Separator as doing all that you claim for it. We have tested ours thoroughly by this time and know whereof we speak. We would not think of doing without it, having tried it once, and can conscientiously vouch for its good work.

Yours respectfully,  
BROWN & WINFREY.

Perrysville, Ind., Nov. 24, 1881.  
Cockle Separator Mfg. Co., Milwaukee.  
Sirs:—The combined machine I bought of you has been running about three weeks. It certainly does all you claim for it, and is the most perfect Separator that I have any knowledge of.

Yours respectfully,  
B. O. CARPENTER.

Hixton, Jackson Co., Wis., Dec. 30, '81  
Cockle Separator Mfg. Co., Milwaukee.  
Gents:—In answer to your inquiry of the 28th inst., I would say that the combined machine I bought of you last summer, works to my entire satisfaction. Respectfully yours,

W. T. PRICE,  
per D. G. THOMAS.

P. S.—I have been milling now for twenty-seven years, but never have I seen anything that will equal yours in cleaning wheat.

As an Oat Separator it is No. 1, and for Cockle it cannot be beat. I can take screenings and separate the cockle from it without wasting any of the small wheat. In my opinion every mill in the United States ought to have one, and if I were to build a mill I would have no other. I remain

Yours, etc. D. G. THOMAS.

Minneapolis, Minn. Aug. 22, 1881.  
Cockle Separator Mfg. Co.:

We have been using two of Beardslee's wheat cleaners, a scourer and finisher, for nearly two years, and are passing one hundred and fifty bushels per hour through them, one third more than rated capacity, and are not using any other cleaners, and consider our wheat as well cleaned as any in Minneapolis.

Yours truly,  
CAHILL, FLETCHER & CO.

La Crosse, Wis., July 30, 1881.

Cockle Separator Mfg. Co., Milwaukee.  
Gentlemen:—The Beardslee Grain Cleaner sent me about the middle of June has been in operation since that

time with very satisfactory results. We cannot see that it breaks the wheat or requires an unusual amount of power to run it.

Yours truly,  
WILLIAM LISTMAN.

Milwaukee, Wis., Aug. 23, 1881.

Cockle Separator Mfg. Co.  
Gentlemen:—The Beardslee's Grain Cleaners which we have purchased from you for our New Era and Milwaukee Mills give us the best of satisfaction. Experienced millers having seen the work done by the machine agree with us, that it cannot be beat. You are at liberty to use our names as a reference, and to any party calling on us we will be pleased to show the machine in operation.

Yours truly,  
NEW ERA MILLING CO.

Pott's Patent Automatic Feeder!

The best device for regulating the FEED ON ROLLER MILLS, PURIFIERS, and other machines requiring a regular feed, spread out the full width. Very cheap and simple. Sent on trial upon application. Write for circulars with illustrations. Perforated Zinc of all sizes at low rates. Send for Illustrated Catalogue.

### WISCONSIN CENTRAL LINE

3 TRAINS EACH WAY DAILY  
BETWEEN  
MILWAUKEE, FOND DU LAC, OSHKOSH,  
NEENAH and MENASHA.

PARLOR CARS!  
through from Chicago via Milwaukee without change, on Day Trains.

New & Elegant Sleepers  
from Chicago to Stevens Point on Train leaving Chicago, via C. M. & St. P. R'y Co., at 9 P. M.  
Also a Superb Sleeper from Milwaukee to Neenah attached to the same train, leaving Milwaukee at midnight.  
N. B.—This Sleeper will be ready for passengers at Reed Street Depot, Milwaukee, at 9:00 o'clock P. M.

2 TRAINS EACH WAY DAILY  
BETWEEN  
MILWAUKEE and EAU CLAIRE.


1 A DAILY TRAIN TO  
Ashland, Lake Superior.

NO CHANGE OF CARS  
From Milwaukee to Stevens Point,  
Chippewa Falls, Eau Claire or  
Ashland, Lake Superior.

These superior facilities make this the BEST ROUTE for GRAND RAPIDS, WAUSAU, MERRILL and points in CENTRAL WISCONSIN.

F. N. FINNEY, Gen'l Manager, Milwaukee.  
JAS. BARKER, Gen'l Pass. Agent, Mil.

## WOODBURY, BOOTH & PRYOR, ROCHESTER, N. Y.



Manufacturers of

Automatic Cut-Off, Fixed Cut-Off, and Slide Valve

## Steam Engines, Tubular Boilers.

Mention this paper when you write.]

BUDGETT, JAMES &amp; BRANTH,

## Flour Merchants,

BRISTOL, ENGLAND.

[Mention this paper when you write us.]

Orobio de Castro & Co.,  
AMSTERDAM (Holland), Europe.  
Telegrams, OROBIO, Amsterdam,  
AGENTS FOR  
FLOUR and GRAIN.  
American Correspondence Solicited.  
Consignments Accepted.

Northwestern Mill Bucket Manufactory

810, 812, and 814 FLORIDA STREET.



Is furnishing Mills and Elevators in all parts of the country with their superior BUCKETS. They are UNEQUALLED for their SHAPE, STRENGTH and CHEAPNESS. Leather, Rubber, Canvas Belting and Bolts at lowest market rates. We have no traveling agents. Sample Buckets sent on application. Large orders will receive liberal discounts. Send for sample order. Address all inquiries and orders to L. J. MUELLER, 197 Reed St., Milwaukee, Wis. [Mention this paper when you write us.]

W. M. SHOOK,  
Millwright and Contractor

Dealer in all kinds of Mill Furnishings.  
PRACTICAL ROLLER MILL BUILDER,  
Office and Shops 172 and 174 South Market Street,  
CANTON, OHIO.



[Mention this paper when you write us.]

STEEL  
CAR  
PUSHER  
Made entirely of STEEL  
ONE MAN with it can easily move a loaded car. Will not slip on ice or grease.  
Manufactured by  
E. P. DWIGHT,  
Dealer in Railroad Supplies, 497  
Library St., Philadelphia, Pa.  
[Mention this paper when you write us.]

## The Geo. T. Smith Middlings Purifier.

### LOW IN PRICE,

Quantity and Quality of Work Considered.

Licensed Under all Patents

Owned by the Consolidated Middlings Purifier Company.

Simple, Easily Adjusted,

### SPECIAL NOTICE.

For the more complete protection of our customers, and to put an end at once and forever to the demands for royalties by which they have recently been annoyed, we have purchased ALL PATENTS relating to Purifiers, lately owned by Huntley, Holcomb & Heine, including the well-known MIDDLETON PATENT and its several re-issues.

Every purchaser or owner of a Geo. T. Smith Purifier, in the past or future, owns the right to use it unmolested and unchallenged, and in this right we have, can and shall protect them.

Intending purchasers should give this notice attention, as it is of the utmost importance to them.

### Adapted to all Systems

Of Milling, and every Grade and Condition of Middlings.

### FOURTEEN SIZES

Single, Double and Special Machines.

Durable, Light Running.

## Two Thousand SMITH PURIFIERS were Sold in 1881.

THE SMITH PURIFIER is in Use in every Milling Country in the World. More than Four Thousand are now running in the United States.

The Smith Purifier has a Positive and Effective Means of Cleaning the Silk of the Sieve. The Smith Purifier has Graded, Controllable Air Currents. It is Impossible to do Good and Economical Work without these Features.

### OUR CLOTH TIGHTENER

Makes it both convenient and easy to keep the Silk always properly stretched.

### OUR AUTOMATIC FEED

IS POSITIVELY SELF-ADJUSTING AND RELIABLE.

WRITE FOR DESCRIPTIVE PRICE LIST AND CIRCULAR TO

GEO. T. SMITH MIDDINGS PURIFIER CO., Jackson, Michigan.


[Please Mention this paper when you write to us]



# EDW. P. ALLIS & CO.

## MILWAUKEE, WISCONSIN.

### MILL BUILDERS AND FURNISHERS,



AND SOLE MANUFACTURERS OF

GRAY'S PATENT NOISELESS

## ROLLER MILLS

CORRUGATED AND SMOOTH CHILLED IRON ROLLS,

**Wegmann's Patent Porcelain Roller.**

We shall be Pleased to hear from Millers contemplating an improvement in their Mills, or Building new ones, and can furnish Estimates and Plans of our system of GRADUAL REDUCTION ROLLER MILLING. We have built and Changed over hundreds of Mills, in all parts of the Country, and using all classes of wheat, BOTH HARD AND SOFT, and can furnish references on application. The Largest and Best Mills of this Country are using our System and Roller Machines. Messrs. C. A. Pillsbury & Co., of Minneapolis, have over 400 PAIRS OF OUR ROLLS AND HAVE RECENTLY PLACED AN ORDER WITH US FOR ABOUT ONE HUNDRED AND TWENTY MORE. We have had a longer and larger experience in Roller Mill Building than any other manufacturers of this country. There is no EXPERIMENT ABOUT OUR SYSTEM and Rolls, so expensive to millers, and when the mills that we build or change over are ready to start, THEY DO SO AND WITH PERFECT SUCCESS, and there is no further changing additions, stopping or expense. We manufactured and sold during the year 1881 over TWO THOUSAND FIVE HUNDRED pairs of rolls.

We can send competent men to consult with any millers who contemplate an improvement, and whom they can depend upon as being RELIABLE AND THOROUGHLY COMPLTENT to advise them as to the number and kind of machines required, best method of placing them and the change required, if any, in the bolting and purifying system. WE DO NOT URGE A GENERAL CLEANING OUT OF ALL OLD MACHINERY unless we clearly see such would be the ONLY COURSE TO PURSUE to make a SATISFACTORY AND RELIABLE MILL. In nearly all instances we can use all the Old Machinery, leaving it in its original position, or with as slight a change as possible. We aim to make the Improvement so that it will be a Profitable one to the Miller, and at the least expense possible.

Our System is THOROUGH and RELIABLE, and our Roller Machine Perfected by Long Experience, and the Miller takes no chances in using them, as HE DOES with the New Fangled Notions of Drive and Adjustment on many other machines now TRYING TO FOLLOW OUR IMPROVEMENTS and still avoid our Patents, in BOTH of which THEY FAIL. We were the first to advocate the Entire Belt Drive, and were opposed by every other maker, who claimed it was not positive, etc., etc., and now that our Belt Drive is an ACKNOWLEDGED SUCCESS, and will SUPERSEDE EVERY OTHER STYLE, these advocates of Gear Drive have suddenly learned that Belts are the Thing. The same may be said of our Spreading Device, Feed Gates, and Adjustable Swing Boxes. Other Makers are now copying these. ALL these Features, including BELT DRIVE with ADJUSTABLE COUNTERSHAFT and TIGHTENER, the SPREADING DEVICE, FEED GATES, Adjustable Swing Boxes and Leveling Devices, Self-Oiling Boxes, etc., are secured to us by several Strong Patents, and we CAUTION MILLERS in regard to these Infringements of Our Patents and Rights, for we shall look to THEM for Redress. The matter is in the hands of our Attorneys, who will soon take VIGOROUS ACTION against the Makers and USERS OF MACHINES infringing Our Patents.

Several machines are already on the market which Broadly Infringe, and we are informed that other makers are now changing their Old Style Machines, and adopting in a large measure Our Improvements. BEWARE OF THEM.

Send for New Illustrated Catalogue, Giving full Information, to

# EDW. P. ALLIS & CO.,

## MILWAUKEE, WIS.

Branch Office 318 Pine Street, Benson Block, SAN FRANCISCO, CAL.

J. R. CROSS, Manager.



# Gilbert Combination Reduction Roller Mill.

Patented August 22, 1882.

## A COMPLETE SUCCESS!

Six Breaks, Five Scalpers and Elevators, with aspirating after each break, combined in a strong neat Iron Frame. The whole Mill driven by two endless Belts, requiring but two driving pulleys. A Twelve Roller Mill making six reductions as above described, occupies floor space of only 5x8 feet, as an ordinary Four Roller-Mill.

### What we Guarantee.


1st. To make large percentage of Middlings and less break-flour than by any other process, because we do away with elevating, conveying and spouting between breaks.

2nd. To scalp cleaner and better than can be done by revolving reels.

3d. Our system of elevating from one pair of break rolls to the other is far preferable, because we elevate but nine inches, and while elevating the scalping is done, which dispenses with scalping reels, elevators and driving machinery for same, thus greatly simplifying the machinery, and saving the power.

4th. We obtain a greater amount of cloth surface in the same space.

5th. The flour and middlings are removed before we apply our suction, consequently do not remove any good stock.



6th. The mill runs smoothly and noiselessly.

7th. The tensions of driving belts are regulated with tightening pulleys, and the mill can be stopped or started at pleasure without interfering with any other portion of the machinery of the mill. These mills meet a want no other mills can meet, as they are complete in all their appointments and will do all that any mills can do, and they occupy a very small space. They are adapted to either large or small mills. The space saved is worth the price of the mills. We need not enlarge upon the advantages of the **Gilbert Combination Mills**. We guarantee all we say in reference to them. References and letters of introduction to parties using these mills will be given to any who wish to see them in operation.

Circulars with price lists will be sent on application. Address:

## STOUT, MILLS & TEMPLE, SOLE MANUFACTURERS, DAYTON, OHIO.

Wm. & J. G. Greey, Toronto, Ont., Sole Manufacturers and Agents for the Provinces of Canada.

[Please mention the UNITED STATES MILLER when you write to us.]


## BELOW IS A PARTIAL LIST

Of late orders for our Complete System of Milling, to which we refer enquiring friends with pride. The most of these Mills are now running, the others soon will be.

All are on our Complete System,

### Breaks, Rolls,

The Programme or "Flow of Material"



having in a full line of our

### Purifiers, Etc.

in every case being furnished by us.

CORRESPONDENCE SOLICITED.

## CASE MANUFACTURING CO., COLUMBUS. OHIO.

Jos. R. Gebhart & Sons.....Dayton,	Ohio.	Hardesty Bros.....Columbus,	Ohio.	S. F. McDonald.....Oxford Mills, Iowa
Simon Gebhart & Sons....." "	" "	J. P. Felt.....Emporium,	Pa.	M. E. Moore.....Waterville, Kan.
Drone & Co.....Zanesville,	" "	Shaner, Knox & Co.....Beaver Falls,	" "	C. M. Ott.....Olathe, "
Dircks & Co.....Marietta,	" "	Carr & Bracken.....Jamestown,	" "	Smith, Lawther & Co.....Nickerson "
Castalia Mill Co.....Castalia,	" "	John A. Dodds.....New Galilee,	" "	Leach & Reasner.....Halstead, "
Dye & Weller.....Troy,	" "	Jordon & Shoutz.....East Brook,	" "	Huntington, Koch & Co.....Barton, Wis.
Wm. Forseman & Bro.....Circleville,	" "	Ira C. Fuller.....Brooksville,	" "	Mathias Blumer.....La Crosse,
Geo. L. Hays.....Piketon,	" "	Wisner Bros.....Lowell,	Mich.	Werner, Miller & Co.....Wright City, Mo.
J. B. Miller & Co.....Ashley,	" "	Deaninger Bros.....Adrian,	" "	Hanawalt & Co.....Tipton, "
J. Geib & Co.....Louisville,	" "	Padgham & Miller.....Union City,	" "	J. W. Emison & Co.....New London, "
Schaad, Maurer & Seiter.....Petersburg,	" "	Joseph Wellman.....Flint,	" "	I. H. Jones.....Jamesport, "
Coleman & Hahn.....Homer,	" "	McHose & Clark.....Vassar,	" "	Armstrong & Son.....Fayette, "
Cyrus Seeds, Jr.....Shadeville,	" "	Wm. Deubel & Bro.....Ypsilanti,	" "	Geo. A. Klinger.....St. Charles, "
J. A. Noggle.....Lodi,	" "	R. K. Ayiles & Co.....Ann Arbor,	" "	H. T. Pendleton.....Wentzville, "
S. R. Hockmar & Sons.....Eagle City,	" "	Swift & Co....." "	" "	Wm. Laramy.....Le Roy, N.J.
R. J. Patton.....Means,	" "	J. M. & H. C. Allen.....Grafton,	Ill.	Lloyd & Bevins.....Terrell, Texas
Lucas & Aikens.....Uhricksville,	" "	D. B. Sears' Sons.....Rock Island,	" "	Badger & Henry.....Sharpsburg, Ky.
Patterson & Donleavy.....New Philadelphia,	" "	Goold & Shaw.....New Windsor,	" "	E. T. Noel.....Nashville, Tenn.
Mast, Troyer & Co.....Buena Vista,	" "	B. Savage & Son.....Alton,	Iowa.	Miller & Co.....Augusta, Ga.

[Please mention the UNITED STATES MILLER when you write to us.]